NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

Gravel placed from

Was well gravel packed?

Yes No

of this report are to be filed with the	F OREGON State Well No.	33/	1100 -	36/
STATE ENGINEER, SALEM, OREGON 97310 ENGINEERS ty within 30 days from the date	pe or print)	- 4		
within 30 days from the date of well completion.	above this line) State Permit N	0	~*************************************	asca
	(5372)			
(1) OWNER:	(11) LOCATION OF WELL:			
Name MR. E. J. GUIDRY	County TACKSON Driller's well no	ımber		
	¼ ¼ Section 36 T. 33	7.5 R.	IW.	W.M.
Address 1425 REGULUS DRIVE POINT MUGU CALIF.	Bearing and distance from section or subdivisio		•	
(2) TYPE OF WORK (check):	APPRO. 200 YARDS NORTH OF			AV 62
New Well Deepening □ Reconditioning □ Abandon □	APPRO. 14 MILE WEST OF A	FKC	REEK	MEUTH.
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well 1	വെയ്ക്കു	sing (2
Rotary M Driven Domestic M Industrial Municipal Domestic	Depth drilled 82 ft. Depth of compl			ft.
Dug Bored Irrigation Test Well Other	Formation: Describe color, texture, grain size			
CASING INSTALLED: Threaded Welded M	and show thickness and nature of each stratu			
O "Diam from O ft. to 37 ft. Gage 250	with at least one entry for each change of form in position of Static Water Level as drilling pro			
"Diam. fromft. toft. Gage	MATERIAL		To	
" Diam. from		From		SWL
	Soil BROWN	0	3	
PERFORATIONS: Perforated? Yes No.	Chay BROWN	12	12-	
Type of perforator used	BASALT BLUE HARD	22	24	
Size of perforations in. by in.	CLAY BROWN BASALT, BLUE HARD		me	
perforations fromft. toft.	CLAY STONE, BLUE	711	82	22
perforations fromft. toft.	CAFFY STONE, DIVE	77	0	
perforations from ft. to ft.				
perforations from ft. to ft.				
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? Tyes X No				
(7) SCREENS: Well screen installed? Wes No Manufacturer's Name				
Type Model No.				
Diam. Slot size Set from ft. to ft.			åv.	
Diam. Slot size Set from ft. to ft.				
				<u> </u>
(8) WATER LEVEL: Completed well.				-:
Static level 22 ft. below land surface Date 6-26-67				-
A lian pressure lbs. per square inch Date		-		
(9) WELL TESTS: Drawdown is amount water level is			-	
IOWELER SOUTH BEAUCIEVEL				
Was a pump test made? ☐ Yes No If yes, by whom?	Work started 6 - 24 19 67 Complete	1 6	21	10/1
Yield: gal./min. with ft. drawdown after hrs.		ea Co	26	1967
n n	Date well drilling machine moved off of well	6	-26	1967
FIR RETURN FROM BOTTOM ""	Drilling Machine Operator's Certification:			- ,
Bailer test 24 gal./min. with 60 ft. drawdown after 1/2 hrs.	This well was constructed under my di rials used and information reported above	rect sur	ervision.	Mate-
Artesian flow g.p.m. Date	knowledge and belief.	e are i	rue to i	ny best
Temperature of water Was a chemical analysis made? Yes No	[Signed] X.W. Martinson	Data 6	-26	167
Temperature of water was a chemical distribution of the	(Drilling Machine Operator)	Date &.		, 1 3 52.2
(10) CONSTRUCTION:	Drilling Machine Operator's License No	21		
Well seal—Material used BENTWITE	Operation of Electrical Hotel,			
Depth of seal	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Were any loose strata cemented off? Yes No Depth	A A A A A A A A A A A A A A A A A A A	Do	1/21.0	
Was a drive shoe used? ☐ Yes XNo	NAME MHR INSON WELL (Person, firm or corporation)	Typ)	e or print)	
Did any strata contain unusable water! Yes No	Address RT. 1 Box 602 EAGLE		- "	100
Type of water? depth of strata	ALL LOUD LY CONTRACTOR OF THE PARTY OF THE P	10	6.17	LALT.
Method of sealing strata off	[Signed] L. W. Marting	un)		
YV Size of gravel	(Water Well Contrac	tor)		

Contractor's License No. 406. Date

Size of gravel: