NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORTE IVED WALL NO 355 W-226

STATE OF OREGONMAR 201978

State	Mett Mos-	
 State	Permit No.	***************************************

(Do not write above ims ane RESOUR 37 E

State	Permit	No.	***************************************
EPT.			e e

	(10) LOCATION OF WELL:				
(1) OWNER:	County JACKSON Driller's well number				
Name WESTERIN DREGEN CONFIRMED OF S.D.A	14 N. W. 14 Section 22 T. 35.5	* *.	U.	W.M.	
Address P.D. BCX 216 EAGLE POINT ORF.	Bearing and distance from section or subdivision				
	Approx. 100' E. Aw'D 200'.5. El	20 14	No W.	CORNE	
(2) TYPE OF WORK (check):	MITTON 100 ENTINU XUU. J. IT				
New Well Deepening Reconditioning Abandon Reconditioning Abandon		-11			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.		•.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	<u> </u>		ft.	
Rotary Driven Domestic M Industrial Municipal	Static level 31 ft. below land s	urface. I	Date 3 -	2-78	
Cable	Artesian pressure lbs. per squar	e inch. I			
CASING INSTALLED: Threaded Welded W Office of the Gage 1050	(12) WELL LOG: Diameter of well to Depth drilled 120 ft. Depth of comple				
" Diam. fromft. toft. Gage/GL	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.				
PERFORATIONS: Perforated? Yes No.	MATERIAL	From	то	SWL	
Type of perforator used SAW	Soil BROWN	0	/	······································	
Size of perforations 6 in. by 98 in.	BOWLDERS, MED. BROWN	ブ	6		
60 perforations from 60 ft. to 120 ft.	CLAYSTONE BROWN	6	34		
perforations from ft. toft.	CLAYSTONE BLUE	34	36		
perforations fromft. toft.	CLAYSTONE BROWN	36	49		
(7) SCREENS: Well screen installed? Yes No	CLAYSTONE, BLUE	49	58		
Manufacturer's Name	CLAYSTONE GREY	58	60		
Type	CLAYSTONE LT. BLUE	60	75		
Diam. Slot size Set from ft. to ft.	CLAYSTONE, BLUE	75	100		
Diam. Slot size Set from	BASALT BUSE ND.	100	1 5/15		
in the level in	CLAYSTONE, RED	1115	190	<i>d</i>	
lowered below static level		 			
Was a pump test made? Tyes X No If yes, by whom?		+	-		
Mield: gal./min. with ft. drawdown after hrs.		 	-		
" " "		 			
" " " "			-		
Return 35 gal./min. with 99 ft. drawdown after hrs.		1	 		
in the second se		 			
Artesian flow g.p.m.	Work started 3-2 1978 Comple	ted 3-	2	1978	
	Date well drilling machine moved off of well	3-=	<u> </u>	1978	
(9) CONSTRUCTION: Well seal-Material used PORTLAND Cement	Drilling Machine Operator's Certification	:			
Well seal—Material used Work 18	This wall was constructed under my	7 direc	t super	rvision.	
Well sealed from land surface toft. Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and relief			1	
Diameter of well bore to bottom or seal in.	[Signed] Konold Mallinso	Date \	372	, 1978.	
Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)		12-	7	
How was cement grout placed? PRESSURE GROUT	Drilling Machine Operator's License No.		y or of		
TREMIE PIPE	Water Well Contractor's Certification:				
The second secon	This well was drilled under my juris	diction a	nd this	report is	
All Control of the Co	true to the best of my knowledge and be	elief.	17:11	1)2	
Was a drive shoe used? Wyes No. Plugs Size: location ft.	Name (Person, firm or corporation)		Type or pr	Y. [2	
Did any strata contain unusable water? Tyes No	Address & BALL RD. EAGL	PR	2/1/	Ola	
Type of water?depth of strata	Thurse of the state of the stat				
Method of sealing strata off	[Signed] Mole (Water Well Cor	tractor)	<u> </u>		
Was well gravel packed? [Yes No Size of gravel:	117	(7~)	>	Te	
Crossel placed from -ft to	Contractor's License No. (26) Date	<u> </u>		, 192	