

STATE OF OREGON

WATER WELL REPORT (as required by ORS 537.765)



ACK 31017 28 1991

VIATER RESOURCES DEPT.
SALEM, OREGON(START CARD) #

385/16N9						
25415	-	-				

(1) OWNER: Name John Gutirrez	Well Nu	ımber:	2	(9) LOCATION	OF WELL by le	egal de	escript	tion:	
AddressP.O. Box 1217				County 385	SON Latitude I	w	Longitud	le	
City Eagle Point, Stat	e OR	Zip	97524	Township	N or S, Range			_E or W	, WM.
(2) TYPE OF WORK:		-		Section 201	Lot Bloc Well (or nearest address) _ Phoenix		1/4		
<u>·</u> ·				Tax Lot	Lot Bloc	k End	OF No	livision rthri	idae
	n L	Abandon		Street Address of Terrace,	Vell (or nearest address) _ Phoenix				
(3) DRILL METHOD		-							
Rotary Air Rotary Mud Cable		-	-	(10) STATIC	WATER LEVEL	:		c 1-	7 01
Other				t	, below land surface.			6-17	,-9T
(4) PROPOSED USE:				Artesian pressure	lb. per squ	ıare inch.	Date		
☑ Domestic ☐ Community ☐ Industrial ☐ Thermal ☐ Injection ☐ Other				(11) WATER I	BEARING ZONE	S:			
				Denth at which water w	as first found	135	,		
(5) BORE HOLE CONSTRUCTIO	JN:		185	From	7				1
Special Construction approval Yes No Der	oth of Comp	leted Well.	ft.		To	Estim	nated Flow	/ Rate	SWL
Explosives used Type	_ Amount	-		135	160	 	3		6
HOLE SEAL		Δ	mount			 			
Diameter From To Material Fro	•	sacks	or pounds				-		-
10" 0 19 Cement 0	19	7.5	Sacks_	(12) WELL LO)C·	1			1
				(12) WEBETO	Ground elevat	ion			
					Material		From	То	SWL
	~ 🗀 -			Black Cla			0	3	
How was seal placed: Method A B X			-	Sand & Gr			3	14	
Other 14' 10" Conductor Pip				Gray Clay			14	135	
Backfill placed fromft. toft. M Gravel placed fromft. toft. Si	aterial			Blue Sand			135	160	6
	ze oi gravei			Gray Sand	istone		160	185	<u> </u>
(6) CASING/LINER:	1 m	***				_			
Diameter From To Gauge Stee Casing: 6" +1 19 250 X		Welded	_						·
Cashig. 3 1.1 19 200 [A	. 🗆								
									
								 	
Liner:			. 🖺						
			Т	 					+
Final location of shoe(s) 19 1/2					*****			ļ	
(7) PERFORATIONS/SCREENS:	•								
Perforations Method	•								
Screens Type	Materi	al.						111.4	
Slot	Tele/pipe	aı							†
From To size Number Diameter	size	Casing	Liner						
					WW				
				Date started	6-17-91 _{Comp}	pleted		6-17-	91
				(unhanded) Water	Well Constructor Ce		on·		
(8) WELL TESTS: Minimum testin	g time is			I certify that th	e work I performed or	n the co	nstructio	n, alter	ation.
☐ Pump ☐ Bailer ☒ Air		Flow Artes		abandonment of this	well is in compliance	e with C	Oregon w	vell cons	structio
Yield gal/min Drawdown Drill st	om ot		ime	knowledge and belief.	used and information r	eported a	above are	e true to	my be
	35			miowicage and benefit		w	WC Nur	mber	
))	1	hr.	Signed			ate		
					11.0				
63					ll Constructor Certif				٠
l emperature of water Depth A	rtesian Flov		•		ibility for the constructions well during the cons				
Was a water analysis done? ☐ Yes By whom _						1.	• .		
Did any strata contain water not suitable for intended u				construction standard	ls. This report is true	to the be	est of my	y knowle	edge an
Salty Muddy Odor Colored Oth		-1.			DOK	₩.	WC Nug	<u>aber_a-</u>	1
Depth of strata:		-		Signed	_///Dn	<u> ∠</u> Dŧ	ite		
ORIGINAL & FIRST COPY - WATER RESOURCES	DEDART	MENT	CECON	ID CODY CONCERNIOR	OD				