NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 973 FEB 2 8 1979 (Please type or print) within 30 days from the date of well completion. WATER RESOURCES DEPT:

State Well No. 363/2w-2db

State Permit No.

WAIER RESOURCES SELVI			
(1) OWNER:	(10) LOCATION OF WELL:		
Name CHARLES S BOTFIELD	County JACKSON Driller's well nur	nber	, arma arma ar faile
Traine Carlotte		R. 2 We	W.M.
Address /6 1/0 TONES Rd. CENTRAL POINT, ORB	Bearing and distance from section or subdivision	n corner APP	Rox
	1800 W. & 900 N. OF SE.C	ORNER OI	Sec
(2) TYPE OF WORK (check):	1800 W. 4 700 W. 01 32.		
New Well Deepening □ Reconditioning □ Abandon □		.11	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	211.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 120		-MAY
Rotary Driven Domestic Mindustrial Municipal D	Static level 40 ft. below land st	urface. Date 25	/TATZE
Cable Jetted	Artesian pressure lbs. per square	inch. Date	
CONTRACTOR AND THE CONTRACTOR AN	(40) WHIT IOC.		, <i>p</i>
(a) CASING INSTALLED: Threaded Welded 1250	(12) WELL LOG: Diameter of well b) ft.
6 " Diam, from + 1 ft. to 24 ft. Gage 250	Depth drilled 380 ft. Depth of comple		
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size a and show thickness and nature of each stratum	n and adulter be	menacu,
" Diam, fromft. toft. Gage	with the transfer of the same	non, Report each c	transa e en
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate princ	cipal water-bearin	ig strata.
	MATERIAL	From To	SWL
Type of perforator used	TOP SOIL	0 2	
Size of perforations in by in.	Rock BROKEN Yellow)	2' 00'	
perforations from	Pack (Blue)	9' 220'	401
perforations fromft. toft.	CLAYSTONE (GREY)	220 320	
personations fromft_toft	CLAYSTONE COREY	201 355	7
CONTRACTOR OF THE PARTY OF THE	KOCK (DEACH)	3551 380	20
(7) SCREENS: Well screen installed? Yes No	SANdSTONE	133	
Manufacturer's Name			
Type Model No.	· · · · · · · · · · · · · · · · · · ·	 	
Diam. Slot size from ft. to ft.		 	
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
2011-2-11-11-11-11-11-11-11-11-11-11-11-11			
Was a pump test made? ☐ Yes No If yes, by whom?	The second secon		
gal./min. with ft. drawdown after hrs.			<u> </u>
" "	The second secon		
" " "			
Bailer test 4 gal./min. with \$7 4t. drawdown after 2hrs.			J
Artesian flow Reprint Pepth artesian flow encountered ft.	Work started 22 MAY 19 76 Complete	ted 26 JUN	e 1978
	Date well drilling machine moved off of well	27 TUNE	19 28
(9) CONSTRUCTION:	Drilling Machine Operator's Certification	1	
Well seal-Material usedCONCRETE_ GROW	This well was constructed under my	v direct supe	rvision.
Well sealed from land surface toft.	Materials used and information reported	l above are tru	ие то ту
Diameter of well bore to bottom of sealin.	best knowledge and belief.	mate # 7/1	. 1078
Diameter of well bore below seal in.	[Signed] (Drilling Machine Operator)	Date 2.7 Gr	My UBE.CO.
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No.	109	
Number of sacks of bentonite used in well seal sacks			
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurise	diction and this	report is
of water lbs./100 gals.	true to the best of my knowledge and be	elief.	C-
Was a drive shoe used? Yes \(\subseteq No Plugs Size: location ft.	Name ROGUE VALLEY	DRIlling	1
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type of p	rmt)
Type of water? depth of strata	Address 3220 Agwy 23	8 2 22	11 17
Method of sealing strata off	[Signed]	A. Does	Uchan
Was well gravel packed? ☐ Yes No Size of gravel:	[Signed] (Water Whi Con	itractor)	2
Gravel placed from tt. to ft.	Contractor's License NoDate	11 June	, 19
WILLIAM PARCON		_	