NOTICE TO WATER WELL CONTRACTOR

The original and first copy

of this report are to be

filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORTE CEIVED State Well No.

(Please type or print)	JUN4	1976 State Permit	No. 35 /2012/
(Do not write above this line) WATE	R RESOL	JRCES DEPT.	/
(10) TOCA	SALEM.	PECON	

(1) OWNER:	(10) LOCATION OF WELL:		
Darrell SM.T.	County JACKSON Driller's well number		
Dage Parale Rd	14 N.E.14 Section 12 T. 35 S R.	2 W. W.M.	
CENTRAL POINT, ORE	Bearing and distance from section or subdivision of	corner	
(2) TYPE OF WORK (check):	APPRO, 900' W. AND 1500' S	FRAM N.E.	
	APPINO, 100 W. FIND ;	CORNER	
New Wen 2 Deepening			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	1	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	ft.	
Rotary Driven Domestic Mindustrial Municipal D	Static level # ft. below land surfa	ace. Date 5-25-76	
Cable Jetted Total Woll Other	Artesian pressure lbs. per square in	ich. Date	
Dug Bored Irrigation lest wen Other		4 1.	
(5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below	w casing	
6	Depth drilled //) 2 ft. Depth of completed	i well 102 ft.	
" Diam. fromft. Gage	Formation: Describe color, texture, grain size and		
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum a	nd aquifer penetrated,	
	with at least one entry for each change of formation	. Report each change in	
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principo	it water-bearing stratu.	
Type of perforator used	MATERIAL	From To SWL	
<u>— இதிய திறு செ</u> றிய இது	Soil BUACK	0 1	
Size of perforations in. by in.	CLAUSTONE BROWN	7 3	
perforations fromft. toft.	CLAYSTONA BLUE	3 37	
perforations from ft. to ft.	SANDSTINE BLUE	37 67	
perforations from ft. to ft.	27.407.00	7 102 4	
(7) SCREENS: Well screen installed? Yes No	<u>Ce,7,070.03</u>		
·			
Manufacturer's Name Model No			
	7		
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? 🗆 Yes 🗶 No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.			
H H			
AIR Return test 100 gal./min. with 98 ft. drawdown after / hrs.			
AIR bailer test 100 gal./min. with 18 ft. drawdown after hrs.			
Artesian flow g.p.m.		~ /	
perature of water Depth artesian flow encountered ft.	Work started 5-25 1976 Completed	S-85 1976	
(9) CONSTRUCTION;	Date well drilling machine moved off of well	5-25 1976	
Well seal-Material used PRESSURE Cement GROWT	Drilling Machine Operator's Certification: This well was constructed under my d	inent cunorvicion	
ft.	Materials used and information reported at	sove are true to my	
Diameter of well bore to bottom of seal in.	Materials used and information reported at best knowledge and belief.		
Diameter of well bore below seal in.	[Signed] One Marling Machine Operator)	ate 5-25, 19.76	
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	622	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No		
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallens			
lbs /100 gals	This well was drilled under my jurisdict true to the best of my knowledge and belief	ion and this report is f.	
of water	Name MARTINSON WELL	DRILLING	
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or print)	
a af strata	Address 81 BALL Rd. EAGLE	F POINT ORE	
Type of water? degin of strata	7	7,	
Method of sealing strata off	[Signed] J. W. Marline	200	
Was well gravel packed? Yes No Size of gravel:	Water wen Contract	25- 7	
Gravel placed fromft. toft.	Contractor's License No. 406. Date 5	19/6	
	***************************************	CD#4F6F6 110	