NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, 35267 SALEM, OREGON 07210 SALEM, OREGON 97310 within 30 days from the date of well completion.

JACK 35267 RECEIVED

STATE OF OREGON

JUN - 7197 State Well No. 385/3W-35ab

(Please type or printy/ATER RESOURCESatDEPpit No. (Do not write above this line) SALEM, OREGON

(1) OWNER:	(10) LOCAȚION OF WELL:
Name Sunshine Village Water association	County Jackson Driller's well number
Address Row 701 - Yacksonville, Ore	11W 41 E 4 Section 35 T. 385 R. 3W. W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found /6/ , ft.
Rotary Driven Domestic Dindustrial Municipal	Static level 25 ft. below land surface. Date 5/27/77
Cable	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded 250 ft. to ft. Gage 6250 ft. to ft. Gage 6250	(12) WELL LOG: Diameter of well below casing
"Diam. from ft. to ft. Gage ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
PERFORATIONS: Perforated?	MATERIAL From To SWL
Size of perforations in. by in.	Clay brown a boulders 0 18
perforations from ft. to ft.	Clay brown & grave 18 32
perforations from ft. to ft.	Shale, brown, med 32 46
perforations from ft. to ft.	Shale block hand, 46 67
(7) SCREENS: Well screen installed? Yes No	Rock, hard, gray MFractures 67 260 25
(1) SCREENS: Well screen installed? ☐ Yes KNO Manufacturer's Name	
Type	
Diam. Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Wes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " "	
" " "	
AIR test 8 gal./min. with 230 ft. drawdown after / hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started $5/26$ 19 Completed $5/27$ 19 1
(9) CONSTRUCTION:	Date well drilling machine moved off of well 5/37 19/
Well seal—Material used Cement grout	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief
Diameter of well bore below seal	[Signed] (Drilling Machine Operator)
Number of sacks of cement used in well seal	Drilling Machine Operator's License No.
How was cement grout placed?	
	Water Well Contractor's Certification:
:	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? Yes 🗌 No Plugs Size: location ft.	Name Mc Clanahan Well Drilling
Did any strata contain unusable water? 🗌 Yes 🗷 🕷	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address /4/ M. B. Beacon - Grants Pass OK
Method of sealing strata off	1 Malle Willer la
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed fromft. toft.	Contractor's License No. Date