NOTICE TO WATER WELL CONTENCED TO WATER WELL REPORT
The original and first copy of this post.

WATER RESOURCES DEPARTMENT OCT 101977 STATE OF OREGON
SALEM, OREGON 97310
within 30 days from the date of well completion.

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:	
Name Earl Brown	County Jackson Driller's well number 2	
Address 10250 Sterling Crk. Rd.	14 14 Section 18 T. 39S R. 2W W.M.	
Jacksonville, Ore.	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):		
New Well		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 38 ft.	
Rotary 🛣 Driven 🗆 Domestic 🖾 Industrial 🗆 Municipal 🗀	Static level 18 ft. below land surface. Date 10/11/77	
Dug   Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date	
CASING INSTALLED:  "Diam. fromft. toft. Gage	(12) WELL LOG: Diameter of well below casing 6  Depth drilled 120 ft. Depth of completed well 120 ft.	
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,	
PERFORATIONS: Perforated?   Ves X No	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.	
PERFURATIONS: Perforated?  Yes No.  Type of perforator used	MATERIAL Fro	
Size of perforations in. by in.	Soilbrown	
perforations fromft. toft.	Claybrown	5 14
perforations fromft. toft.		4 98
perforations fromft. toft.		8 103
	Basaltblack 10	
(7) SCREENS: Well screen installed?  Yes You No		
Manufacturer's Name		
Type Model No Diam Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
Jamin Stor Blee Store St		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☐XNo If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
n n n		
"ATR " " "		
Bailer test 100 gal./min. with 102 ft. drawdown after 1½ hrs.		
Artesian flow g.p.m.		
nperature of water Depth artesian flow encountered ft.	Work started 10/11 19 77 Completed 1	0/11 1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well 10/	
Well seal—Material used Cement	Drilling Machine Operator's Certification:	
Well sealed from land surface to 19 ft.	This well was constructed under my dir	
Diameter of well bore to bottom of seal 10 in.	Materials used and information reported above best knowledge and belief.	ve are true to my
Diameter of well bore below seal	[Signed] 22-Melsawes Date	10/12 10 77
Number of sacks of cement used in well seal sacks	(Dfilling Machine Operator)	
How was cement grout placed? poured	Drilling Machine Operator's License No.	
The state of the s	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is	
Was a drive shoe used? ☐ Yes ♣No Plugs Size: location ft.	true to the best of my knowledge and belief.	
was a drive snoe used? ☐ Yes ☐ No Plugs Size: location ft.  Did any strata contain unusable water? ☐ Yes ☑ No	Name Virgle Gribble Well Drilling	
	(Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address8380 Ramsey Rd. Gold Hill, Ore.	
Method of sealing strata off	[Signed] Wayne Mulboushi	
Was well gravel packed? Tyes 💆 No Size of gravel:	(Water Well Contractor) 461 10/1;	ממ פ
Gravel placed from ft. to ft.	Contractor's License No Date	5 19//