NOTICE TO WATER WELL CONTRACTOR The original and first copy of the Body ELVED TER WEI are to be filed with the	LL REPORT JACK	2.5	- 1	
	OREGON 79/ State Well	No. 35	ちんか	-28a
SALEM, OREGON 97310 DEC 20 B/O (Please type	e or print) $-2(\varphi)\varphi$			
of well completion, ATER RESOURCES DEPT write an	bove this line) State Perm	it No		
SALEM. OREGON		•		
(1) OWNER:	(10) LOCATION OF WELL:		_	
Name Sams Valley Elementary District 6	County Jackson Driller's well number			
	<u>NE 14 SE 14 Section 28 T.35S R. 2W W.M.</u>			<u>W.M.</u>
<u>Central Point, Ore</u> (2) TYPE OF WORK (check):	= Bearing and distance from section or subdivision corner			
	-Tax lot 1100 Permit 761-78W			·
New Well 🕅 Deepening 🗌 Reconditioning 🔲 Abandon 🗋				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed	well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 38 ft.			<b>f</b> +
Rotary 20 Driven D Domestic D Industrial D Municipal			n. 12	120/28
Cable     Jetted       Dug     Bored       Image: Solution in the second seco		nd surface.		120/10
School	Artesian pressure lbs. per s	quare inch.	Date	
CASING INSTALLED: Threaded D Welded	(12) WELL LOG: Diameter of w		-	6
			ын <u>в</u>	6
	Depth drilled 300 ft. Depth of co			ft.
	Formation: Describe color, texture, grain s	ize and strue	cture of m	naterials;
	and show thickness and nature of each st with at least one entry for each change of fo	rmation. Rep	ort each c	hange in
/ PERFORATIONS: Perforated? 🗋 Yes 🖄 No.	position of Static Water Level and indicate	principal wa	ter-bearin	g strata.
Type of perforator used	MATERIAL	From	То	SWL
Size of perforations in. by in.	Soilbrown		┝╾━╌╸╴┟	
	Claystone-brown			<u>-</u>
perforations from	Claystone9-gray	10	15	
perforations from			50	
it. to	Sandstonegray	- 50	85	
(7) SCREENS: Well screen installed?  Yes X No	Claystoneblack	85	90	
Manufacturer's Name	Claystonegray Sandstonegray		118	·
Type	Sanostonegray	118	_300	
Diam, Slot size Set from ft. to ft.				
Diam Slot size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? 🗌 Yes 🖾 No If yes, by whom?				
Yield: gal./min. with ft. drawdown after hrs.				
		_		
· · · · · · · · · · · · · · · · · · ·			┝━──┼	
ATR " " "	·			
Bailer test 30 gal./min. with $279t$ . drawdown after $1\frac{1}{2}$ hrs.				
Artesian flow g.p.m.				
perature of water Depth artesian flow encountered ft.	Work started 12/20 1978 Com	12/2	L	10 70
			<u>v </u>	19 <u>78</u>
(9) CONSTRUCTION:	Date well drilling machine moved off of we	$\frac{11}{12/2}$	<u> </u>	<sup>19</sup> 78
Well seal-Material used Cement	Drilling Machine Operator's Certificati	on:		,
Well sealed from land surface to32ft.	This well was constructed under	my direct	superv	vision.
Diameter of well bore to bottom of seal10 in.	Materials used and information report best knowledge and belief.	ed above	are true	to my
Diameter of well bore below seal	18:mail his Milbarth	Aspet-	12/22	10 78
Number of sacks of cement used in well seal <u>13</u> sacks	Drilling Machine Operator)		• •	1 aa. wa
How was cement grout placed? Pressure	Drilling Machine Operator's License N	o. <u>483</u>		
	Water Well Contractor's Certification:			
	This well was drilled under my jur	isdiction ar	nd this re	eport is
Was a drive shoe used? 🗌 Yes 🕱 No Plugs Size: location	true to the best of my knowledge and	belief.		
Did any strata contain unusable water? 🗌 Yes 😿 No	Name VirgleCribbleWellDri (Person, firm or corporation)	lling		
		- (T <sub>3</sub>	pe or print	τ)
			Omo -	
Type of water? depth of strata	(Person, firm or corporation) Address <u>8380</u> Ransey Rd., Gold		Ore.	•••••
Type of water? depth of strata	Address 8380 Ransey Rd., Gold		Ore.	
		Hill,	<i>.</i>	

(USE ADDITIONAL SHEETS IF NECESSARY)

SP\*45656-119