## WATER WELL REPORT STATE OF OREGON

## RECEIVED

FEB231981

JACK 5000

State Well No. 355	4w-15
--------------------	-------

State Permit No.

## WATER RESOURCES DEPT

ALM, Market		
(1) OWNER:	(10) LOCATION OF WELL:	
Name Tony Lentini	County Jackson Driller's well number 568	
Address 678 Covened Bridge Rel	4 4 Section 15 T. 35 S R. 4W W.M.	
City Rogue RIVER State CHE	Tax Lot # / O   Lot Blk Subdivision	
(2) TYPE OF WORK (check):	Rogue Royce Royce Ont	
New Well ♥ Deepening □ Reconditioning □ Abandon □	,	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 24 ft.	
	Static level 14 ft. below land surface. Date	
Rotary Air 🙀 Driven 🗌 Domestic 👿 Industrial 🗌 Municipal 🗆 Rotary Mud 🗍 Dug 🔲 Irrigation 🗍 Test Well 🗎 Other	Artesian pressure lbs. per square inch. Date	
e 🗆 Bored 🗆 Thermal: Withdrawal 🗆 Reinjection 🗆	(12) WELL LOG: Diameter of well below casing	
CASING INSTALLED: Steel Threaded Welded Welded	Depth drilled 120 ft. Depth of completed well 120 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry	
	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL From To SWL	
	Soil	
(0) 7777707 4777077	Yellow Clay Country 2 8	
(6) PERFORATIONS: Perforated? □ Yes ▼ No □ Type of perforator used	Wellen Class Rock 3" 8 16	
Size of perforations in. by in.	Blank white Cranite 16 24	
	Black white Comite 24 25 14	
perforations from	Fractural	
perforations from ft. to ft.	Black & white Cranite 25 33	
perforations from ft. toft.	Black white Granite 33 94 14	
(7) SCREENS: Well screen installed?   Yes  No	Fractioned	
Manufacturer's Name	Black , white Granite 94 120	
Type Model No.		
Diam. Slot Size Set from ft. to ft. to ft.		
n. Slot Size Set from ft. to ft.	<u> </u>	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
s a pump test made?  Yes  No If yes, by whom?		
Yield: gal/min. with ft. drawdown after hrs.		
" " "		
Air test 30 gal./min, with drill stem at //8 ft. / hrs.		
Bailer test gal./min. with ft. drawdown after hrs.		
rtesian flow g.p.m.		
remperature of water 536 Depth artesian flow encountered ft.	Work started 2 - / 0 198/ Completed 2 - / 0 198/	
(9) CONSTRUCTION: Special standards: Yes 🗆 No 🕱	Date well drilling machine moved off of well 2-10 1981	
Well seal—Material used Cemant	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used	
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.	
Diameter of well bore below seal in.	[Signed] U	
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No	
How was cement grout placed?		
The state of the s	Water Well Contractor's Certification:	
This well was drilled under my jurisdiction and this report is true to		
Vas pump installed? No. Type HP Depth ft. Name Oc. Ming to Orilling		
/as a drive shoe used?   N Yes   No   Trugs   Size: location   It.		
Did any strata contain unusable water? Tyes No	Address U. O. Bux 928 Meslin, ouc	
Type of Water? depth of strata	[Signed] O. Burkyt	
Method of sealing strata off  Was well gravel packed?   Yes No  Size of gravel:	(Water Well Contractor)	
Gravel placed from	Contractor's License No. 552 Date 2-10 , 1981	
Orayer praced from		