

WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

Instructions for completing this report are on the last page of this form

Jack 56573

(START CARD) # 161945

(1) OWNER:

Well Number: 68223

Name Ralph George
Address P.O. Box 715
City Ashland State OR Zip 97520

(2) TYPE OF WORK:

[X] New Well [] Deepening [] Alteration (repair/recondition) [] Abandonment

(3) DRILL METHOD:

[X] Rotary Air [] Rotary Mud [] Cable [] Auger
[] Other

(4) PROPOSED USE:

[X] Domestic [] Community [] Industrial [] Irrigation
[] Thermal [] Injection [] Livestock [] Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval [] Yes [X] No Depth of Completed Well 380 ft.
Explosives used [] Yes [X] No Type Amount

Table with columns: HOLE Diameter, From, To, SEAL Material, From, To, Amount sacks or pounds. Row 1: 10, 0, 39, Bentonite, 0, 39, 15 sacks. Row 2: 6, 39, 380.

How was seal placed: Method [] A [] B [] C [] D [] E
[X] Other Poured dry
Backfill placed from ft. to ft. Material
Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER:

Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 6, +1, 39, .250, [X], [], [X], []. Liner: 4, 5, 380, SDR26, [], [X], [X], [].

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Row 1: 320, 340, 1/16, [], 4, SDR21, [], [X]. Row 2: 360, 380, 1/16, [], 4, SDR21, [], [X].

(8) WELL TESTS: Minimum testing time is 1 hour

[] Pump [] Bailer [X] Air [] Flowing Artesian

Table with columns: Yield gal/min, Drawdown, Drill stem at, Time. Row 1: 20, 380, 380, 1 hr.

Temperature of Water 58 Depth Artesian Flow found
Was a water analysis done? [] Yes [] No By whom
Did any strata contain water not suitable for intended use? [] Too little
[] Salty [] Muddy [] Odor [] Colored [] Other
Depth of strata:

(9) LOCATION OF WELL by legal description:

County Jackson Latitude Longitude
Township 39S N or S. Range 1E E or W. of WM.
Section 13 NW 1/4 NW 1/4
Tax lot 2003 Lot Block Subdivision
Street Address of Well (or nearest address) 2925 Hwy 66

(10) STATIC WATER LEVEL:

FA ft. below land surface. Date 10/29/2003
Artesian pressure 10 lb. per square inch. Date 10/29/2003

(11) WATER BEARING ZONES:

Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 330, 366, 20, FA.

(12) WELL LOG:

Table with columns: Material, From, To, SWL. Rows: Top soil (0-2), Decomposed granit (2-33), Brown siltstone (33-330), Broke brown claystone (330-380). Includes RECEIVED stamp and ASHLAND DRILLING INC info.

Date started 10/29/2003 Completed 10/29/2003

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed [Signature] WWC Number 1815
Date 12/2/2003
Ashland Drilling Inc.

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WWC Number 1478
Date 12/2/2003
Ashland Drilling Inc.