STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by OPS 537 765 & OAR 690-205-0210)

JACK 62687

WELL I.D. LABEL# L 115701

START CARD # 1031778

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	8/16/2016 ORIGINAL LOG #
(1) LAND OWNER Owner Well I.D.	
First Name JERRY Last Name SCHATZ	(9) LOCATION OF WELL (legal description)
Company G AND N REALITY	
Address P O BOX 718	- County JACKSON Twp 36.00 S N/S Range 1.00 W E/W WM
City MEDFORD State OR Zip 97504	- Sec 28 NE 1/4 of the SW 1/4 Tax Lot 600
(2) TYPE OF WORK New Well Deepening Conversion C	Tax Map Number Lot DMS or DD
Alteration (complete 2a & 10) Abandonment(comp	0 1 11 100 000 100 10
(2a) PRE-ALTERATION	Long or -122.82849263 DMS or DD Street address of well Nearest address
Dia + From To Gauge Stl Plstc Wld Thrd Casing:	EAST END OF RANDALL STREET.
Material From To Amt sacks/lbs	EAST END OF RANDALL STREET.
Seal:	
(3) DRILL METHOD	(10) STATIC WATER LEVEL
X Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)
Reverse Rotary Other	Existing Well / Pre-Alteration
	Completed Well 8/16/2016 8 Flowing Artesian? Dry Hole?
(4) PROPOSED USE	
X Industrial/Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 65.00
Thermal Injection Other APPLYING FOR WATER RIGHT	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Atta	ch copy) 8/15/2016 75 80 3 8
Depth of Completed Well 205.00 ft.	8/15/2016 145 150 19 8
BORE HOLE SEAL	sacks/
Dia From To Material From To Amt	lbs
10 0 19 Bentonite Chips 0 19 9 6 19 205 Calculated 9	S
6 19 205 Calculated 9	
Calculated	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D	
X Other DRYPOURED	Soil brown, w/clay 0 12
Backfill placed from ft. to ft. Material	sandstone w/clay 12 14
Filter pack from ft. to ft. Material Size	sandstone 14 205
Explosives used: Yes Type Amount	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	
Proposed Amount Actual Amount	
	_
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wlo	Thrd
(•) (6) X 1 19 .250 (•) (1)	
() 4 5 205 Sch 40 () ()	$\overline{\mathbf{X}}$
Shoe Inside Outside Other Location of shoe(s)	
Temp casing X Yes Dia From To	
(7) PERFORATIONS/SCREENS	—
Perforations Method factory	
Screens Type Material	Date Started 8/15/2016 Completed 8/16/2016
0	Tele/ (unbonded) Water Well Constructor Certification
Screen LinerDiaFromTowidthlengthslotspiPerfLiner4165205.03226400	pe size 4 (unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or
1 C11 Ellici	abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number Date
(8) WELL TESTS: Minimum testing time is 1 hour	Signed
Pump Bailer • Air Flowing Artes	ian Signed
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
22 204 2	I accept responsibility for the construction, deepening, alteration, or abandonmen
	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply well
Temperature 59 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
	<u>opm</u> License Number <u>1798</u> Date <u>8/16/2016</u>
From To Description Amount U	Signed GARY NEWMAN (E-filed)
	Signed GARY NEWMAN (E-filed) Contact Info (optional) Southern Oregon Well Drilling Inc 541-772-1177
	Contact into (optional) Journal Oregon Wen Drining inc 341-7/2-1177

JACK 62687

WELL I.D. LABEL# L 115701

START CARD # 1031778

ORIGINAL LOG #

continuation page	8/16/2016	ORIGINAL LOG #	31770
(2a) PRE-ALTERATION	Water Qual	lity Concerns	
Dia + From To Gauge Stl Plstc Wld Thrd		To Description	Amount Units
Material From To Amt sacks/lbs			
	(10) STATI	IC WATED I EVEL	1
(5) BORE HOLE CONSTRUCTION	SWL Date	IC WATER LEVEL From To Est Flow	v SWL(psi) + SWL(ft)
	sacks/		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Dia From To Material From To Amt	lbs		
Calculated			
Calculated			
Calculated			
Calculated			
FILTER PACK	(11) WELL	LOG	
From To Material Size	(II) WEEL	Material	From To
		iviateriai	Tioni 10
(6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld	Thrd Thrd		
Company of the second of the s			
88-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			
(7) PERFORATIONS/SCREENS			
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/		
	pipe size		
		/D l	
	Comments		
(8) WELL TESTS: Minimum testing time is 1 hour		rilled as an exempt domestic well. Ho for this well. This well is placed as far	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hi	: : :	tream in the area as possible.	and the possible from the
	· 		
	<u> </u>		

JACK 62687

8/16/2016

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 115701

Printed: August 16, 2016

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

LOCATION OF WELL

Latitude: 42.4093637044 Datum: WGS84

Longitude: -122.82849262677

Township/Range/Section/Quarter-Quarter Section:

WM 36S 1W 28 NESW

Address of Well:

EAST END OF RANDALL STREET.

