STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by OPS 537.765 & OAR 690.205.0210)

**JACK 63170** 

WELL I.D. LABEL# L 85655

START CARD # 1035865

ORIGINAL LOG #

Page 1 of 3

(as required by ORS 537.765 & OAR 690-205-0210)	8/23/2017	ORIGINAL LOG #	#	
(1) LAND OWNER Owner Well I.D.				
First Name EDWARD & SUSAN Last Name WALK	(0) I OC	ATION OF WELL (legal	description)	
Company				W DAY WA
Address 130 COUNTRY ROAD - 1200 NORTH		<u>SW</u> 1/4 6th NE		
City NEOGA State IL Zip 62447  (2) TYPE OF WORK New Well Deepening Conversi	Sec	SW 1/4 of the NE	_ 1/4	500
(2) TYPE OF WORK New Well Deepening Conversi	ion Tax Map Nu	mber " or <u>42.341670</u>	Lot	DMS or DD
Alteration (complete 2a & 10)   Abandonment(comp		or <u>-122.9629</u>	90 50 <i>66</i>	DMS or DD
(2a) PRE-ALTERATION	Long	Street address of well N	J800 Japanest addmass	_ DMS or DD
Dia         +         From         To         Gauge         Stl         Plstc         Wld         Thrd           Casing:         6         X         1         8         .250         ●         ○         □         □         □         □		STAGE RD. CENTRAL POINT,		
Casing:         6         X         1         8         .250         Image: Comparison of the com	1077 OLD	STAGE RD. CENTRAL POINT,	OK 97302	
Seal:				
(3) DRILL METHOD	(10) STA	TIC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud		Da		SWL(ft)
Reverse Rotary Other	Existing	Well / Pre-Alteration 8/17/201		63
	Comple	eted Well 8/17/201	7	63
(4) PROPOSED USE Domestic Irrigation Community		Flowing Artesian?	Dry Hole?	
Industrial/Commericial Livestock Dewatering	WATER BE.	ARING ZONES Depth v	water was first found	83.00
Thermal Injection Other	SWL Dat	e From To E	est Flow SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Atta	ch copy) 8/17/201	7 83 126	30	62
Depth of Completed Well 200.00 ft.	8/17/201	7 83 126	30	63
BORE HOLE SEAL	sacks/			
Dia From To Material From To Amt				
10 0 26 Bentonite Chips 0 26 15	S			
6 26 200 Calculated 11.87	7			
	(11) WEL	LLOG		
Calculated	<b>⊣</b>   ' '	Giodila Lievan		
How was seal placed: Method A B C D E		Material	From	To
X Other DRY POURED	Brown Clay	omposed Granite	0 11	11
Backfill placed from ft. to ft. Material	Grey Granit	•	18	91
Filter pack from ft. to ft. Material Size	I	Granite Broken	91	127
Explosives used: Yes Type Amount	Grey Granit		127	200
(5a) ABANDONMENT USING UNHYDRATED BENTONITE				
Proposed Amount Actual Amount				
(6) CASING/LINER				
Casing Liner Dia + From To Gauge Stl Plstc Wlo	d Thrd			
● 6 X 1.5 38.5 .250 ● C X				
3 200 .250				
Shoe Inside Outside Other Location of shoe(s)				
Temp casing Yes Dia From + To				
(7) PERFORATIONS/SCREENS	<del></del>			
Perforations Method Saw Cut	.			
Screens Type Material	Date Start	red8/17/2017 Cor	mpleted <u>8/17/2017</u>	
· ·	Tele/	) Water Well Constructor Certi		
		at the work I performed on the		ing alteration or
Perf         Liner         4         180         200         .188         4         60		nt of this well is in complian		
		n standards. Materials used and		
		ny knowledge and belief.	•	
	License Nu	mber 1	Date	
(8) WELL TESTS: Minimum testing time is 1 hour				
Pump Bailer (a) Air Flowing Artes	Signed _			
		ater Well Constructor Certification	ation	_
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 30 200 1	<b>─</b>   ` ′			
30 100 0.5		ponsibility for the construction, med on this well during the const		
		during this time is in complian		
Temperature 54 °F Lab analysis Yes By		standards. This report is true to		
	<del></del>	_	Date 8/23/2017	
Water quality concerns? Yes (describe below) TDS amount 440 From To Description Amount U	nits	1033	0/23/201/	
	Signed K	EVIN D GILL (E-filed)		
	Contact Info	o (optional) Clouser Drilling Inc.		

**JACK 63170** 

WELL I.D. LABEL# L 85655

START CARD # 1035865

ORIGINAL LOG #

#L	85655	
) #	1035865	
: #		

Continuation page	8/23/2017	ORIGINAL LOG #	
(2a) PRE-ALTERATION	Water Quali	ity Concerns	
Dia + From To Gauge Stl Plstc Wld Thrd		To Description	Amount Units
Material From To Amt sacks/lbs			
(5) BORE HOLE CONSTRUCTION		C WATER LEVEL	
DODE HOLE CEAL	SWL Date	From To Est Flow	SWL(psi) + SWL(ft)
Dia From To Material From To Amt			
Calculated			
Calculated			
Calculated			
Calculated			
FILTER PACK From To Material Size	(11) WELL	LOG	
140m 10 Material Size		Material	From To
(6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld Tl	nrd		<u> </u>
	_		
8 9 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
	_		
(7) PERFORATIONS/SCREENS			
2	Γele/ pe size		
Screen Liner Dia From To width length slots pi	Se size		
			<del>                                     </del>
	Comments/	Remarks	
	<del></del>	ell report available. Over-drilled Casin	ng and Pulled from well.
(8) WELL TESTS: Minimum testing time is 1 hour	Well had 9 tota	al feet of casing and no 10" Seal. Insta	alled Casing +1.5'-38.5'.
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	New 10" Seal	constructed to 26'. Deepened well to	200'.

### **JACK 63170**

#### 8/23/2017

## Map of Hole

# STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

## Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 42.3416709605 Datum: WGS84

Longitude: -122.96295865979

Township/Range/Section/Quarter-Quarter Section:

WM 37S 2W 20 SWNE Address of Well:

1677 OLD STAGE RD. CENTRAL POINT, OR 97502

Well Label: 85655

Printed: August 23, 2017

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

