STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210) **JACK 63194** 

9/14/2017

WELL I.D. LABEL# L
START CARD # 1
ORIGINAL LOG # 1

	1 age 1 01 1
121216	
1036041	
JACKSON	62555

(1) LAND OWNER Owner Well I.D.		
First Name Last Name	(9) LOCATION OF WELL (legal description)	
Company WEST JACKSON PROPERTIES LLC	County JACKSON Twp 38.00 S N/S Range 1.00 E E/W WM	
Address 1840 E BARNETT RD SUITE G	Sec         31         NE         1/4 of the         SE         1/4         Tax Lot         1303	
City MEDFORD State OR Zip 97504	Tay Man Number	
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number       Lot         Lat       " " or 42.22030000       DMS or DD         Long       " or -122.74091000       DMS or DD	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Long of 42.22030000 DMS or DD	
(2a) PRE-ALTERATION	Long or or -122.74091000 DMS or DD  Street address of well Nearest address	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1001 W JACKSON RD. ASHLAND, OR 97520	
	1001 W JACKSON RD. ASHLAND, OR 9/520	
Material From To Amt sacks/lbs  Seal: Bentonite Chips 0 23 34 Sacks		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)	
Reverse Rotary Other	Existing Well / Pre-Alteration	
	Completed Well 8/29/2017 28	
(4) PROPOSED USE Domestic Irrigation X Community	Flowing Artesian? Dry Hole?	
☐ Industrial/ Commericial ☐ Livestock ☐ Dewatering	WATER BEARING ZONES Depth water was first found 137.00	
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)		
Depth of Completed Well 300.00 ft.	0.27.200	
BORE HOLE SEAL sacks/	8/29/2017 153 154 4 28	
Dia From To Material From To Amt lbs	8/29/2017 251 253 24 28	
10 0 23 Bentonite Chips 0 23 34 S		
6 23 300 Calculated 10.5	1	
	(11) WELL LOC	
Calculated	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E	Material From To	
X Other NOT DISTURBED	FLUSH THREAD LINER 6/9 FILT PCK 0 300	
Backfill placed from ft. to ft. Material		
Filter pack from15 ft. to300 ft. Material _CO_SIL_SNDSize 6/9		
Explosives used: Yes Type Amount		
(5a) ABANDONMENT USING UNHYDRATED BENTONITE		
Proposed Amount Actual Amount		
(6) CASING/LINER		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		
(a) (b) (c) (d) (d) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e		
Shoe Inside Outside X Other Location of shoe(s) 23		
Temp casing Yes Dia From + To		
(7) PERFORATIONS/SCREENS		
Perforations Method Lazer Cut	D . G 10/20/2015	
Screens Type Material Perf/ Casing/Screen Scrn/slot Slot # of Tele/	Date Started 8/29/2017 Completed 8/29/2017	
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	
Perf Liner 4 200 300 .01 1 31116	I certify that the work I performed on the construction, deepening, alteration, or	
	abandonment of this well is in compliance with Oregon water supply well	
	construction standards. Materials used and information reported above are true to	
	the best of my knowledge and belief.	
	License Number 1945 Date 9/14/2017	
(8) WELL TESTS: Minimum testing time is 1 hour	Signed HIGTIN ON HETHOE /E CL 12	
Pump Bailer • Air Flowing Artesian	Signed JUSTIN SPLIETHOF (E-filed)	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
30 300 1.5	I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work	
	performed during this time is in compliance with Oregon water supply well	
Temperature 55 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.	
Water quality concerns? Yes (describe below) TDS amount 330 ppm	License Number 1835 Date 9/14/2017	
From To Description Amount Units		
	Signed KEVIN D GILL (E-filed)	
	Contact Info (optional) CLOUSER DRILLING INC	