STATE OF OREGON WATER SUPPLY WELL REPORT JACK 65917

WELL I.D. LABEL# L 152177

START CARD # 1070995

ORIGINAL LOG #

Page 1 of 3

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	8/28	/2023	ORIG	INAL LOG	#		
(1) LAND OWNER Owner Well I.D.					L		
First Name Last Name		(9) LOCA	TION OF V	VELL (lega	ıl descri	intion)	
Company RUSTED GATE FARM						_	W E/W WM
Address PO BOX 5326		Sec 35					
City CENTRAL POINT State OR Zip 97502 (2) TYPE OF WORK New Well Deepening Conv.							
(2) TYPE OF WORK New Well Deepening Conv.		Tax Map Numl	<u> </u>	" or 42 39985	5000		DMS or DD
Alteration (complete 2a & 10) Abandonment(co	mplete 5a)	Long	,	" or -122.900	61000		_ DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd		S S	treet address of	f well	Nearest a	ddress	_ 2112 01 22
Casing:		5700 UPTON		~			
Material From To Amt sacks/lbs							
Seal:							
(3) DRILL METHOD	_	(10) STATI	C WATER		Date S	NT (')	CIVIT (C)
Rotary Air Rotary Mud Cable Auger Cable Mud		Existing V	Vell / Pre-Alter		vale 5	WL(psi) +	SWL(ft)
Reverse Rotary Other		Completed		8/24/20)23		24
(4) PROPOSED USE				ng Artesian?		y Hole?	
Industrial/ Commericial Livestock Dewatering		WATER BEAR	ING ZONES	Denth	⊐ water wa	ns first found	38.00
Thermal Injection Other		SWL Date	From	_		SWL(psi)	
			Tiom	10	LSt I IOW	5 (1 E(psi)	· SWE(II)
(5) BORE HOLE CONSTRUCTION Special Standard [(A	Attach copy	8/24/2023	38	83	15		24
BORE HOLE SEAL	sacks	,					
Dia From To Material From To A							
	10 S						
6 18 83 Calculated 8	3.22	,					
Calculated		(11) WELL	LOG	Ground Eleva	: 10	66.00	
Seal placement method ABBCDDEXOther: DRY POURE			Material	Ground Eleva	ation <u>12</u>	From	To
Backfill placed from ft. to ft. Material		BROWN CLA		PAVEL.		0	4
Filter pack from ft. to ft. Material Size _		BROWN CLA				4	36
Explosives used: Type Amount		BROWN CLA	Y MIXED GR	AVEL FINE	SAND	36	83
~	45						
							+
(5a) ABANDONMENT USING UNHYDRATED BENTONI'S Proposed Amount Actual Amount	IE						
<u> </u>							
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc	Wild Thrd						
8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	×						
	ΠП						
	ЦЦ						
	ШШ						
Shoe Inside Outside Other Location of shoe(s) 58							
Temp casing Yes Dia From + To To							+
(7) PERFORATIONS/SCREENS							
Perforations Method Holte Air		Construction					
Screens Type Material Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/	Begin Date 8/	24/2023 B	egin Time 08	19	End Da	te <u>8/24/2023</u>
Screen Liner Dia From To width length slots	pipe size	(unbonded) V	Vater Well Co	nstructor Ce	rtification	ı	
Perf Casing 6 38 58 .188 1 480							ng, alteration, or
							ater supply well
		the best of my			л шиогша	uon reported	above are true to
		License Numb	U	a cenen	Date 9	3/25/2023	
(8) WELL TESTS: Minimum testing time is 1 hour		License I value	1945		Dute _	8/23/2023	
· ·	rtecion	Signed JUS	TIN SPLIETH	IOF (E-filed)			
		(bonded) Wat	or Woll Const	ructor Cortifi	ication		
Yield gal/min Drawdown Drill stem/Pump depth Duration (h	11)	1 '				ng alteration	, or abandonmer
							l above. All wor
		performed du	ring this time	is in compli	ance with	h Oregon wa	ater supply we
Temperature 56 °F Lab analysis Yes By		construction st	andards. This	report is true t	o the best	of my knowle	edge and belief.
Water quality concerns? Yes (describe below) TDS amount 189	ppm	License Numb	er 1835		Date 8/2	28/2023	
From To Description Amount	Units	1				-	
		I —	/IN GILL (E-f				
		Contact Info (c	optional) <u>Clou</u>	ser Drilling In	c.		
		I					

WELL I.D. LABEL# L 152177

continuation page	8/28/2023	START CARD # ORIGINAL LOG #	1070995	
(2a) PRE-ALTERATION	Water Quali			
Dia + From To Gauge Stl Plstc Wld Thrd	From T		Amount	Units
Material From To Amt sacks/lbs				
Material From To Amt sacks/lbs				
	(10) CTATIO			
	(10) STATIO	C WATER LEVEL From To Est F	low SWL(psi) +	SWL(ft)
5) BORE HOLE CONSTRUCTION	SWE Bute	Tion to Esti	IOW SWE(psi)	J WE(II)
BORE HOLE SEAL	sacks/			
Dia From To Material From To Am	nt lbs			
Calculated	 			
Calculated			-	
Calculated				
Calculated	<u> </u>			
Calculated	(11) WELL		_	
FILTER PACK		Material	From	То
From To Material Size				
	1			
6) CASING/LINER	— I			
Casing Liner Dia + From To Gauge Stl Plstc Wlo	d Thrd			
NEDECO A STONAGE OPPENS				
7) PERFORATIONS/SCREENS				
Perf/ Casing/Screen Scrn/slot Slot # of Screen Liner Dia From To width length slots	Tele/ pipe size			
Screen Liner Dia From To width length slots	pipe size			
	N	(-)1 : 1 - : : - 1 : : : : : : : : : : : : : - : : - : : - : : : - : : : - : : : - :	1 Ti 1 i	- # / II-1
	_	(s) who assisted with construction istant Name	Type	e # / Helpe #
	MIKE MCDO			8888846
	<u> </u>			
(8) WELL TESTS: Minimum testing time is 1 hour				
	Comments/	Remarks		
Yield gal/min Drawdown Drill stem/Pump depth Duration	(nr)			
	_			
	<u> </u>			

JACK 65917

8/28/2023

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL Well Label: 152177

Latitude: 42.39985000 Datum: WGS84 Longitude: -122.90061000 Printed: August 25, 2023

Township/Range/Section/Quarter-Quarter Section:

WM36.00S2.00W35SWNE

Address of Well:

5700 UPTON RD. CENTRAL POINT, OR 97502

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

