STATE OF OREGON	JACK	66158	WELL I.D. LADEL#		
WATER SUPPLY WELL REPORT			START CARD #		
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	3/29/	2024	ORIGINAL LOG #	# JACKSON	18834
1) LAND OWNER Owner Well I.D.					
First Name JACKSON CTY Last Name ROGUE ELK PARK		(9) LOCAT	ΓΙΟΝ OF WELL (legal	description	ı)
Company STATE OF OREGON			ON Twp 33.00 S	_	
Address 7520 TABLE ROCK RD			NE 1/4 of the NW		
City CENTRAL POINT State OR Zip 97502		Toy Mon Numb	hor	- 1/4 Tax L	1300
2) III L OF WORK	ersion	rax wap Num	ber" or _42.661910		DMS or DD
Alteration (complete 2a & 10) Abandonment(co	omplete 5a)	Lat	or <u>-122.7513</u>	0000	DMS 01 DD
2a) PRE-ALTERATION				Vearest address	
Dia + From To Gauge Stl Plstc Wld Thrd Casing: 6 0 14 250 •		•		tearest address	
0 14 .230		2//66 HWY 6	52, TRAIL OR 97541		
Material From To Amt sacks/lbs					
Seal:		(10) STATI	IC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud		(10) 511111	Da Da	ite SWL(psi	i) + SWL(ft)
		Existing V	Vell / Pre-Alteration 3/13/202	4	11
Reverse Rotary Other		Completed			11
4) PROPOSED USE Domestic Irrigation Community	,		Flowing Artesian?	Dry Hole	? 🗍
Industrial/ Commercial Livestock Dewatering		WATER BEAR	ING ZONES Depth v	water was first f	found 378.00
Thermal Injection Other		SWL Date			
		SWL Date	From To E	st flow SWL	(psi) + SWL(ft)
	Attach copy)	3/13/2024	378 381	1.5	11
Depth of Completed Well 500.00 ft.					
BORE HOLE SEAL	sacks/				
	Amt lbs				
10 0 20 Cement 0 20 Calculated 5	11 S				
6 20 500 Calculated 5	5.37	•			
Calculated		(11) WELL	LOG Ground Elevat	ion 1469.03 F	 :Т
Seal placement method A B C D E ther:			Material Material	Fron	
Backfill placed from ft. to ft. Material		Existing boreh			0 62
Filter pack from ft. to ft. Material Size		Grey andesite			62 337
		Grey andesite			37 379
Explosives used: Type Amount Amount Project 2/11/2024			lcanic tuff & andesite	3′	79 500
	00				
5a) ABANDONMENT USING UNHYDRATED BENTONI	TE				
Proposed Amount Actual Amount					
6) CASING/LINER					
Casing Liner Dia + From To Gauge Stl Plstc	Wld Thrd				
● 6 × 1.5 20 .250 ● ○					
Shoe Inside X Outside Other Location of shoe(s) 20					
Temp casing Yes Dia 10 From + 1 1 To 14					
7) PERFORATIONS/SCREENS Perforations Method					
Screens Type Material		Construction	/8/2024 Begin Time 10	30 E	End Date 3/13/2024
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/	Begin Date 3/	8/2024 Begin Time 110		3/13/2024
Screen Liner Dia From To width length slots		(unbonded) V	Vater Well Constructor Cert	ification	
			the work I performed on the		
			of this well is in complian		
			tandards. Materials used and	information rep	ported above are true to
		•	knowledge and belief.		
		License Numb	per 1945	Date 3/22/202	24
8) WELL TESTS: Minimum testing time is 1 hour		g: 1			
Pump Bailer Air Flowing A	Artesian	Signed JUS	STIN SPLIETHOF (E-filed)		
Yield gal/min Drawdown Drill stem/Pump depth Duration (l		(bonded) Wat	er Well Constructor Certific	ation	
1.5 498 1		,	nsibility for the construction,		eration or abandonme
110			ed on this well during the const		
			ring this time is in complian		
Temperature 56 °F Lab analysis Yes By			andards. This report is true to		
	nnm	License Numb	•	_	
Water quality concerns? Yes (describe below) TDS amount 1830 From To Description Amount	ppm Units	Piceuse Maillo	1835	Date 3/29/2024	<u>+</u>
		Signed KEV	VIN GILL (E-filed)		
			optional) Clouser Drilling Inc.		
		Comaci IIIIO (C	optional) Clouser Dinning Inc.		

Amended 4/5/2024

JACK 66158

WELL I.D. LABEL# L

START CARD # 1

L	153688	
!	1072921	
ŧ	IACKSON	10024

continuation page	3/2	9/2024	(ORIGINAL LOG # JAC	CKSON 18834	4
2a) PRE-ALTERATION			uality Conc			
Dia + From To Gauge Stl Plstc Wld Thrd		From	То	Description	Amount	Units
Material From To Amt sacks/lbs						
		(4.0) CFD (TO THE STATE OF			
				ER LEVEL	CIVIT ()	GTT (0)
5) BORE HOLE CONSTRUCTION		SWL Dat	te From	To Est Flow	SWL(psi) +	SWL(ft)
BORE HOLE SEAL	sacks/					
Dia From To Material From	To Amt lbs					
		l 			++	
Calcula	ated				+	
Calcula	etad					
Calcula	ated				 	
Calcul	ated				+	
Calcul	ated	$\frac{\Box}{(11) \text{ WEI}}$	LLLOG			
	aicu	(11) ***	Materi	al	From	То
FILTER PACK From To Material Size						
		1				
		1				
6) CASING/LINER	_					
		1				
Casing Liner Dia + From To Gauge Stl F	Plstc Wld Thrd					
	$Q \sqcup \sqcup$					
	AHH					
	$\forall H H$					
7) PERFORATIONS/SCREENS						
Perf/ Casing/Screen Scrn/slot Slot	# of Tele/					
Screen Liner Dia From To width length		.				
		Name of pe	rson(s) who as	ssisted with construction ar	d Trainee Licens	se#/Helner
	+ + -	11	Assistant Nan		ре	#
		GREG EL		WATER		1989
		JARED H	OOD	WATER		2095
		MIKE MO	CDOWELL	HELPER WAT	ER	8888846
(O) WELL TESTS, Minimum 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4						
(8) WELL TESTS: Minimum testing time is 1 hou		Commo	nts/Remarl	ze		
Yield gal/min Drawdown Drill stem/Pump depth	Duration (hr)		metal in botto			
		I Incie was	cui iii ootto	01		
	ı	1 1				

3/29/2024

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 42.66191000 Datum: WGS84

Longitude: -122.75130000

Township/Range/Section/Quarter-Quarter Section:

WM33.00S1.00E31NENW

Address of Well:

27766 HWY 62, TRAIL OR 97541

Well Label: 153688

Printed: March 22, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

