The original and of this report at the MAY 19 1971 STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the ENGINEER (Please type or print) of well completion ALEM ORLEON

State Well No. 36 State Permit No.

	(10) I OCATION OF WELL.			
(1) OWNER:	(10) LOCATION OF WELL:			
Name Medford GUN Club	County Jackson Driller's well number			
Address 1259 E. Vilas Rd Medford, Oreson	14 14 Section 3/ T. 36		W	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisi			30411
	460 west fromthe nor	Th Ea	257	prop
New Well Deepening Reconditioning Abandon Reconditioning Abandon	ELTYCOTHER		-	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	rell.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	_48		ft.
Rotary Driven Domestic Mindustrial Municipal Cable Defined Domestic Mindustrial Municipal	Static level /3 ft. below land s	surface. D	ate 🍝	-12-71
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar	re inch. D	ate 🚅	
CASING INSTALLED: Threaded Welded Compared to the property of the compared to the compared	(12) WELL LOG: Diameter of well below casing Depth drilled SO ft. Depth of completed well SO ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used	MATERIAL	From	То	SWL
Size of perforations in, by in,	Soll-Sandy- Grown	0	2	
perforations fromft. toft.	Clay- Gralun	2.	15	
perforations from ft. to ft.	Sandston- Grown	15 0	26	
perforations from ft. to ft.	Clarston- 6 rown	26	48	
(T) CODETING	Sandston Grown	<u> </u>		
(7) SCREENS: Well screen installed? Yes No	Groken	48 3	90	13
Manufacturer's Name	ClaySton - GHOIOH	50 3	52	
Type Model No.	Claystony - 6/49	57 3	59	
Diam. Slot size Set from ft. to ft.	Claysfon - Grown			
Diam. Slot size Set from ft. to ft.	broken,		5/	13
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Sandslong-6/48	6/ 18	30	
Was a pump test made? ☐ Yes ☑ No If yes, by whom?				
Yield: gal./min. with ft. drawdown after hrs.				
	4 4			
198				
"iet a Ha	The second of th			
Earlier test 8 gal./min. with 18 ft. drawdown after 2 hrs.				
Artesian flow g.p.m.		<u> </u>		
perature of water Depth artesian flow encountered ft.	Work started 5-/2 19 7/ Complete	ed 5:	12	19 2/
(9) CONSTRUCTION:	Date well drilling machine moved off of well	<u> 5-1</u>	12	19 //
Well seal-Material used Bettonile	Drilling Machine Operator's Certification:		-	·
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my			
Diameter of well bore to bottom of seal in.	best knowledge and belief.			
Diameter of well bore below sealin.	[Signed] (Drilling Magnine Operator) Date 3-12, 1921			
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No.			
Number of sacks of bentonite used in well seal sacks	Drining Machine Operator's License No.			
Brand name of bentonite	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 millions	This well was drilled under my jurisdi	iction and	this re	enorf is
of waterlbs./100 gals.	true to the best of my knowledge and belief.			
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Crafer Well Drilling Inc.			
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	Туре	or prin	1)
Type of water? depth of strata	Address 123 Delta Mol	P/5/	de 1	Medtor
Method of sealing strata off	[Signed] Charles 2	Lun	g, g,	$\overline{}$
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	(Water Well Contr	~		
Gravel placed fromft toft.	Contractor's License No. 3 43 Date	5-/-	ス	, 19.2/