

WATER WELL REPORT

STATE OF OREGON

RECEIVED

JUL 22 1981

State Well No. ~~3652W-20dd~~

State Permit No. 3652W-20dd

WATER RESOURCES DEPT
SALEM, OREGON

nc JACK
1055

(1) OWNER:

Name C.V. Kiser
Address 7475 Blackwell Rd
City Central Point State ORE.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
Rotary Mud Dug
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other
Thermal: Withdrawal Reinjection

(5) CASING INSTALLED:

Steel Plastic
Threaded Welded
6" Diam. from 4 1/2 ft. to 58 1/2 ft. Gauge 1.250

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? Yes No
Type of perforator used Torch
Size of perforations 1/8 + 3/16 in. by 4 in.
25 perforations from 39 ft. to 59 ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
id: gal./min. with ft. drawdown after hrs.
Air test 50 gal./min. with drill stem at 42 ft. 1 hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water 59 Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No
Well seal—Material used CEMENT
Well sealed from land surface to 25 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 15 sacks
How was cement grout placed? PRESSURE GROUT
Was pump installed? NO Type HP Depth ft.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of Water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel: P20
Gravel placed from 25 ft. to 52 ft.

(10) LOCATION OF WELL:

County JACKSON Driller's well number 81-30
1/4 Section 36 RAW R. 20 W.M.
Tax Lot # 1400 Lot Blk Subdivision
Address at well location:

(11) WATER LEVEL: Completed well.

Depth at which water was first found 37 ft.
Static level 15 ft. below land surface. Date 7-7-81
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 58 ft. Depth of completed well 52 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay sticky br.	0	8	
clay with cobbles	8	19	
Cobbles gravel small	19	37	
CEMENTED			
Gravel FINE	37	38	
Water-bearing			
Gravel FINE with	38	55	
Coarse Black Sand			
CEMENTED			
Sand Coarse Black	55	58	15
Water-bearing			

Work started 6-26 19 81 Completed 7-7 19 81
Date well drilling machine moved off of well 7-7 19 81

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] John Stadelahn Date 7-7, 19 81
(Drilling Machine Operator)
Drilling Machine Operator's License No. 1008

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name STUDEBAKER WELL DRILLING
(Person, firm or corporation) (Type or print)
Address 4876 Hwy 66 Ashland
[Signed] John Stadelahn
(Water Well Contractor)
Contractor's License No. 679 Date 7-7, 1981

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date of well completion.

SP*12658-690