WATER WELL REPORT STATE OF OREGON



WATER RESOURCES DEPT

(1) OWNER:	(10) LOCATION OF WELL:	
Name Harvy Granger	County Jackson Driller's well	number 72
Address 2448 Nieto Way	S.E., NE 4 Section 27 T. 36	R. 3W W.M.
City Nedford State Ore. 97501	Tax Lot # Lot Blk	Subdivision
(2) TYPE OF WORK (check):	Address at well location: 9450 Old Stage R	d. Gold Hill, Ore
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	(11) WATER LEVEL: Completed we	ell.
If abandonment, describe material and procedure in Item 12.	Depth at which water was first found	60 _{ft}
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 20 ft. below la	and surface. Date $8/13/81$
Rotary Air 🛱 Driven 🗆 Domestic 🗀 Industrial 🗆 Municipal 🗆 Rotary Mud 🗎 Dug 🗇 Irrigation 🛱 Test Well 🗇 Other 🗀		r square inch. Date
Rotary Mud	(12) WELL LOG: Diameter of well below of	8"
	1	completed well 172 ft.
(5) CASING INSTALLED: Steel 2. Plastic \(\text{Threaded} \(\text{U} \) Welded \(\text{U} \)	Formation: Describe color, texture, grain size and stru	
8 "Diam from 0 ft to 158 ft Gauge .250	thickness and nature of each stratum and aquifer penet	trated, with at least one entry
"Diam from ft. to ft. Gauge	for each change of formation. Report each change in p and indicate principal water-bearing strata.	osition of Static Water Level
LINER INSTALLED:	MATERIAL	From To SWL
	Soil Brown	0 4
"Diam from ft. to ft. Gauge	Clay Brown	4 50
(6) PERFORATIONS: Perforated? Yes □ No	Conglomerate Brown	50 59
Type of perforator used Torch	Gravel Med	59 156 20
Size of perforations $1/8$ in. by 16 in.	Conglomerate Gray	156 162 "
	Basalt Gray	162 172 "
perforations from ft. to ft.		102 112
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? Yes XX.No		
Manufacturer's Name		
Type		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft. Drawdown is amount water level is lowered		
(8) WELL TESTS: below static level		
Was a pump test made? ☐ Yes ☐ No If yes, by whom?		
gal./min. with ft. drawdown after hrs.		
11 " " "		
Air test 250 gal./min. with drill stem at 172 ft. $1\frac{1}{2}$ hrs.		
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
rature of water 53 Depth artesian flow encountered ft.	Work started 8/11/ 19 81 Complete	8/13 1981
(9) CONSTRUCTION: Special standards: Yes □ No 🗹	Date well drilling machine moved off of well	8/13/1981
Camant		7 -710
Well seal—Material used	Drilling Machine Operator's Certification:	
10	This well was constructed under my direct s and information reported above are true to my b	
•	[Signed]	Date 9/20/1981
a pr	(Drilling Machine Operator)	
Number of sacks of cement used in well seal	Drilling Machine Operator's License No	483
Trow was cement grout placed:	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction	and this report is true to
Was pump installed? NO Type HP Depth ft.	the best of my knowledge and belief.	
Was a drive shoe used? XX Yes □ No Plugs Size: location ft.	Name Gribble Well Drilling	m
Did any strata contain unusable water? Yes You No	(Person, firm or corporation) Address 195 Country Lane, Gold H	ill, Ore. 97525
Type of Water? depth of strata	Address 150 doublety Easte, dolla in	
Method of sealing strata off	[Signed]	M-
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	705 (Water Well Contract	8/20/ 81
Gravel placed from ft. to ft.	Contractor's License NoDate	19.94.