NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

WATER RESOURCES DEPARTMENT FOR CELL STATE OF OREGON SALEM, OREGON 97310 Within 30 days from the date AUG2 3 1977 of well completion.

T JACK
9119
State Well No. 36/3W-27
State Permit No. State Permit No.

(1) OWNER: WATER SESOURCES DEPT.	(10) LOCATION OF WELL:	
Name Ec C. Brittsan SALEM. ONECON	County Jackson Driller's well number	
Address 5394 Teresa Way.	7 77 - 76 - 71	
Central Point, Ore.	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.	
Rotary 🖺 Driven 🗆 Domestic 🗵 Industrial 🗆 Municipal 🗆		
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inc	
CASING INSTALLED: Threaded Welded tt. to	(12) WELL LOG: Diameter of well below casing 6	
" Diam. from ft. to ft. Gage	Depth drilled 170 ft. Depth of completed	
"Diam. from	Formation: Describe color, texture, grain size and s	tructure of materials;
DEDECD ATTIONS.	and show thickness and nature of each stratum ar with at least one entry for each change of formation.	Report each change in
Type of perforator used	position of Static Water Level and indicate principal	
	MATERIAL Fro	
	Granitegray 7	70 240
perforations from ft. to ft.	4	
perforations from ft. to ft.	20 gpm at start	
	static 21'	
(7) SCREENS: Well screen installed? Yes No	increased to 50 gpm - no ch	iongo in ata
Manufacturer's Name		ange in sta
TypeModel No.		
Diam. Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom?		
Viold:		
Yield: gal./min. with ft. drawdown after hrs.		
" "		- -
AIR " "		
Bailer test 50 gal./min. with 21 cft. drawdown after 11 hrs.		
Artesian flow g.p.m.		
mperature of water Depth artesian flow encountered ft.	Work started 8/19 19 77Completed 8	
(9) CONSTRUCTION:	Date well drilling machine moved off of well 8/	19 ₁₉ 7
Well seal—Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface to ft.	This well was constructed under my dire	ect supervision.
Diameter of well bore to bottom of seal in.	Materials used and information reported above best knowledge and belief.	e are true to my
Diameter of well bore below seal in.	[Signed]	8/20, 1977.
Number of sacks of cement used in well seal sacks	(Drunng-Machine Operator)	
How was cement grout placed?	Drilling Machine Operator's License No	
75. (174)	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction	and this report is
Was a drive shoe used? Yes Plugs Size: location ft.	true to the best of my knowledge and belief.	
Did any strata contain unusable water? Yes No	Name Virgle Gribble Well Dri	
	(Person, firm or corporation)	(Type or print)
	Address 8380 Ramsey Rd., Gold I	Hilly Ore.
Method of sealing strata off	[Signed] Wayne Milkows	Pai
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)	
Gravel placed fromft. toft.	Contractor's License No. 461 Date 8/2	20 19 77