NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date

WATER WELL REPORTS IVED

STATE OF OREGON

(Please type or print) APR 141977

State Well No. 365 3W27

(Do not write above this unto) RESOURCES DEPI. Permit No. of well completion. SALEM. OREGON (1) OWNER: (10) LOCATION OF WELL: E. C. Brittsan Jackson Driller's well number Address 5394 Teresa Way 27 T 36 R 3W Central Point, Ore Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well 🖫 Deepening [Reconditioning [Abandon 🔲 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven [Static level 21 Domestic | Industrial | Municipal | ft. below land surface. Cable Jetted 🗍 Dug Bored | Irrigation ☐ Test Well ☐ Other Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded [(12) WELL LOG: Diameter of well below casing 6..." Diam. from 0 ft. to 55 ft. Gage Depth drilled ft. Depth of completed well ..." Diam. from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials; " Diam. from ft. to ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Tyes X No. Type of perforator used MATERIAL Size of perforations in. by Soil--brown in. 0 6 Shatered rock br. & grav _____ ft. to _____ ft. 6 19 Olaystone--brown perforations from ft. to ft. 19 28 <u>Sandstone--gray</u> 28 perforations from _____ ft. to ____ ft. Claystone--gray (7) SCREENS: Well screen installed? Yes No Conglomerate -- brown 71 Manufacturer's Name Basalt--black Model No. Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Yes No If yes, by whom? gal./min. with ft. drawdown after hrs. " ATR Bailer test 250 gal./min. with 49 ft. drawdown after 14 hrs. A<u>rte</u>sian flow g.p.m. erature of water Depth artesian flow encountered ft. 19 77 Completed Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used Cement Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to best knowledge and belief. Diameter of well bore below seal _____6 [Signed] Dylling Machine Operator) Dank Date 4/13 , 19.77 Number of sacks of cement used in well seal _____sacks Drilling Machine Operator's License No. How was cement grout placed? _____Pumped Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Virgle Gribble Well Prilling Was a drive shoe used? ٌ Yes 🗌 No Plugs Size: location ft. Did any strata contain unusable water?

Yes Xoo (Person, firm or corporation) (Type or print) Address 8380 Kamsey Rd., Type of water? depth of strata Method of sealing strata off Was well gravel packed?
Yes XNo Size of gravel: Gravel placed from _____ ft. to _____ ft. Contractor's License No. ____ Date ___