NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT C State

(Please type or print)

(Do not write above this line)

VIATER 14 SURCE State Permit No.

U		3/05/3W-2"	۲,
State We	ell No.	Jus/su a	

(1) OWNER:	(10) LOCATION OF WELL:		
Name E. C. Brittsan	County Jackson Driller's well number		
Address 5394 Teresa Way		R. 3W	W.M.
Central Point, Ore.	Bearing and distance from section or subdivision	n corner	
(2) TYPE OF WORK (check):			
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	a11	
		711.	.04
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		ft.
Rotary X Driven Domestic X Industrial Municipal Cable Detection	Static level 12 ft. below land st	urface. Date 5	$\frac{14}{76}$
Dug □ Bored □ Irrigation □ Test Well □ Other □	Artesian pressure lbs. per square	inch. Date	-
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well be Depth drilled 46 59 ft. Depth of complete Formation: Describe color, texture, grain size a and show thickness and nature of each stratum with at least one entry for each change of format position of Static Water Level and indicate prince	and structure of r n and aquifer perion. Report each	8205 ^{ft.} naterials; netrated, change in
Type of perforator used	MATERIAL	From To	swL
Size of perforations in. by in.	Granite-gray	146 157	
perforations from ft. to ft.	Basaltblack	157 186	
perforations from ft. to ft.	Granite-gray	186 205	
perforations from ft. to ft.	5200		
periorations from to to			
(7) SCREENS: Well screen installed? Yes No			
Manufacturer's Name			
Type Model No			
Diam Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.	,		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes ☑ No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.			<u> </u>
" " "			
AIR " 193 " "		-	
Bailer test 7 gal./min. with 77/4t/. drawdown after 11 hrs.			
Artesian flow g.p.m. Depth artesian flow encountered ft.	Work started 5/14 19 76 Complete	ed 5/14	19 76
	Date well drilling machine moved off of well 5		19 76
(9) CONSTRUCTION:			
Well seal—Material used	This well was constructed under my Materials used and information reported best knowledge and belief.	direct supe above are tru	e to my
Diameter of well bore below seal	[Signed] , Sy 3 - Melkowoll	Date 5/18	, 197.6.
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)		
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.		***************************************
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons	į.	tiation and this	report is
of water lbs./100 gals.	This well was drilled under my jurisd true to the best of my knowledge and bel	lief.	rebort 12
Was a drive shoe used? 🗆 Yes 🗀 No Plugs Size: location ft.	Name Virgle Gribble Well (Person, firm or corporation)	Drilling	
Did any strata contain unusable water? Yes 1 No	(Person, firm or corporation)	(Type or p	rint)
Type of water? depth of strata	Address 8380 Ramsey Rd Go	old Hill	Ore-
Method of sealing strata off		// * *	
Was well gravel packed? ☐ Yes ♣ No Size of gravel:	/ (water well cond		**************
Gravel placed fromft. toft.	Contractor's License No. 461 Date	5/18	, 19.76
·	and the second s		