NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

WATER WELL REPORT

STATE OF OREGON

(Please type or print) WATER

of well completion. (Do not write ab	(10) LOCATION OF WELDER, County Jackson Jordan Street Permit No. Co. County Jackson Driller's well number
(1) OWNED.	(10) LOCATION OF WELDED
(1) OWNER:	Tack of Strains
Name Z7/1/ CLOSTACE DO	County A(LSD11 Driller's well number
Address 8321, OCOS 1796 1211	SW4SW4 Section 35 T. 365R. Sw W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 45 ft.
Rotary Driven Domestic Dindustrial Municipal	Static level 25 ft. below land surface. Date 63076
Cable	Artesian pressure lbs. per square inch. Date
(5) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
6" Diam. from 6t. to 40 ft. Gage 250	Depth drilled 75 ft. Depth of completed well 75 ft.
ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? Yes Yo.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Brown clay gravel 0 30
perforations fromft. toft.	Secrentens, gred hard 30 75 25
perforations from ft. to ft.	Scriptus me, gray, meres as
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name	
Type Model No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	
Yil: gal./min. with ft. drawdown after hrs.	
" " "	
" " " " "	
Bailor test 25 gal./min. with 25 ft. drawdown after / hrs.	
	1 30 7/20 - 10.70 -7/
perature of water Depth artesian flow encountered ft.	Work started 6 50 19/6 Completed 6 30 19/6
(9) CONSTRUCTION:	Date well drilling machine moved off of well
Well seal-Material used Coment Groat	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.
Diameter of well bore below seal	[Signed] [Si
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of waterlbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name M. Clanahan Wen Dilling
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or Mint)
Type of water? depth of strata	Address Address Address
Method of sealing strata off	[Signed] MINUX MARINE
Was well gravel packed? Yes No Size of gravel:	(Water Well contractor)
Gravel placed from ft. to ft.	Contractor's License No. 21 Date 7-2, 186