NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT STATE OF OREGREE CEIVE Date Well No. (Please type or print) (Do not write above this line) JAN 201977 State Permit No.

NA /	VATER RESOURCES DEFT.	
(1) OWNER: Name Donald Knechtges	(10) LOCATION OF GWELL:  County Jefferson Driller's well no	mber
Address Star Rt Box 357 Gateway, Madras Ore	SW ¼ NW¼ Section 29 T. 9S  Bearing and distance from section or subdivision	• •
(2) TYPE OF WORK (check):	1450' S & 1250' W of N <sup>1</sup> co.	
New Well ☐ Deepening ☑ Reconditioning ☐ Abandon ☐	1450. 8 & 1250. # 01 HZ CO.	LHOI DOU LY
if abandonment, describe material and procedure in Item 12.	(11) THATHER I BYEN COMMISSES OF	_11
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found	ft.
Cable   Detted   Domestic   Industrial   Municipal   Domestic   Test Well   Other		
CASING INSTALLED: Threaded   Welded	(12) WELL LOG: Diameter of well below casing	
	Depth drilled 150 ft. Depth of compl	eted well 150 ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size a and show thickness and nature of each stratur with at least one entry for each change of format	n and aquifer penetrated,
PERFORATIONS: Perforated?   Yes   No.	position of Static Water Level and indicate prin	
.ype of perforator used	MATERIAL	From To SWL
Size of perforations in. by in.	tan clay	42 45
perforations fromft. toft.	tan clay congl	45 104
perforations from ft. to ft.	brkn rock (WB)	104 128
perforations from ft. to ft.	med gravel (WB)	128 136
	bldrs & congl	136 150 7
(7) SCREENS: Well screen installed?   Yes   No		
Manufacturer's Name		
Type Model No.		
Diam. Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes 型 No If yes, by whom?		
viold: gal./min. with ft. drawdown after hrs.		
prowing 200 driv		
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		<del></del>
perature of water 59 Depth artesian flow encountered ft.	Work started 12/23 19 76 Complete	
9) CONSTRUCTION:	Date well drilling machine moved off of well	12/29 19 76
Well seal-Material used undistrubed	Drilling Machine Operator's Certification:	
Well sealed from land surface toft.	This well was constructed under my	
Diameter of well bore to bottom of seal 1.2 12 100 in 8 8 1 100	Materials used and information reported best knowledge and belief.	
Diameter of well bore below seal in. to 150'	[Signed] John V husen	Date 1/1/ 19.77
Number of sacks of cement used in well sealsacks	[Signed]	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.	1039
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons		
rf water	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Was a drive shoe used? Tyes No Plugs Size: location ft.	Name Crawford Well Drilling	
Old any strata contain unusable water?   Yes  No	(Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address 3626 W. Cotner Redmon	ı,ure
Method of sealing strata off	[Signed] John / Johnson	
Was well gravel packed?   Yes   No Size of gravel:	(Water Well Contr.	actor)
Gravel placed from ft. to ft.	Contractor's License No 59.5 Date	1/14, 1977