WATER WELL REPORT STATE OF OREGON



SEP 2 11983

PLEASE TYPE or PRINT INRESCURCES

j	,	/
,	State Permit No.	

, , , , , , , , , , , , , , , , , , ,	, 1.2.1. OF	
(1) OWNER:	(10) LOCATION OF WELL:	
Name Deschutes National Forest	County Jefferson Driller's well num	ber
Address 211 E. Revere	SW 1/4 SW 1/4 Section 30 T. 11S R.	11E W.M
City Bend 9770/ State OR	Tax Lot # Lot Blk	Subdivision
	Address at well location: Perry South Campg	
(2) TYPE OF WORK (check):	well #1	
New Well Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL Completed well	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 72	ft
``	Static level ft. below land si	
Rotary Air X Driven Domestic X Industrial Municipal Control Munici	Artesian pressure 4 lbs. per squ	are inch. Date 9/15/
☐ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐	(12) WELL LOG: Diameter of well below casin	g 0
) CASING INSTALLED: Steel Plastic	Depth drilled 100 ft. Depth of comp	leted well 100 ft
Threaded Welded	Formation: Describe color, texture, grain size and structure	
8	thickness and nature of each stratum and aquifer penetrated for each change of formation. Report each change in position	
	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL Fro	om To SWL
6 0 -100 .250	brown coarse sandstone &	
		0 72
(6) PERFORATIONS: Perforated? Yes \(\square\) No	black coarse sand & gravel WB 7	
Type of perforator used torch		
Size of perforations in. by 12 in.		
45 perforations from -70 ft. to -100 ft.		
perforations from		
perforations from		
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		
Type Model No.		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
a pump test made? ☐ Yes X No If yes, by whom?		
gal./min. with ft. drawdown after hrs.		
17.1.21.121.		
Air test gal./min. with drill stem at ft. hrs.		
Bailer test 18 gal./min. with 6 ft. drawdown after 1 hrs.		
esian flow g.p.m. inperature of water 52 Depth artesian flow encountered72 ft.		- 6 - 00
Depth artesian flow encountered/2ft.	Work started 9/14 19 83 Completed	9/15 1983
(9) CONSTRUCTION: Special standards: Yes No N	Date well drilling machine moved off of well	9/16 1983
Well seal—Material used Cenera	(unbonded) Water Well Constructor Certificati	on (if applicable):
Well sealed from land surface to	This well was constructed under my direct super	
Diameter of well bore to bottom of seal in.	and information reported above are true to my best l	- C
Diameter of well bore below sealin.	[Signed] Dat	.e, 19
Number of sacks of cement used in well seal sacks How was cement grout placed?	Bonded Water Well Constructor Certification: Bond 2206234 Issued by: Western	Surety
-	(number) Issued by: Surety Co	mpany Name
	This well was drilled under my jurisdiction and the best of my knowledge and belief.	I this report is true to
Was pump installed?	Name Crawford Well Drilling. Inc	•
Was a drive shoe used? Ass O No Plugs Size: location ft.	(Person, firm or corporation)	(Type or print)
Did any strata contain unusable water? 🗆 Yes 🕻 No	Address 1245 Lower Bridge Terrebon	es y ur
Type of Water? depth of strata	[Signed] Larry K Grang	Z X
Method of sealing strata off	Water Well Constructor	
Was well gravel packed? 🗆 Yes 🕻 No Size of gravel:	Date	9 /19 , 19. 83

Gravel placed from ft. to