File Original and First Copy with the STATE ENGINEER, SALEM, ORECON



WATER WELL REPORT State Well No. 6R3483

State Permit No. 6R3483

SALEM, OREGON	State Permit No	Z1X	
1) OWNER: Vame City of Madras	(11) WELL TESTS: Drawdown is amount water level is lowered below static level  Was a pump test made?   Yes  No If yes, by whom?		
Address Formerly Oregon Trunk Railway	Yield: gal./min. with ft. drawdo	wn after	hrs
Well 2 WSP 637D	" "		**
	" "		,,
2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdo	wn after	hrs
County Jefferson Owner's number, if any—	Artesian flow g.p.m. Date		*
N W 14 N W 14 Section   T. // S R. /3 E W.M.	Temperature of water Was a chemical analysis r	nada? [] V	es □ No
Bearing and distance from section or subdivision corner	Temperature of water was a chemical analysis i	nade: [] I	CS
3968'N & 1297'E from	(12) WELL LOG: Diameter of well		inches
SW Corner Section 1	Depth drilled ft. Depth of completed		ft
·	Formation: Describe by color, character, size of mater show thickness of aquifers and the kind and nature o stratum penetrated, with at least one entry for each	ial and stru f the mater	icture, and ial in eacl formation
	MATERIAL	FROM	то
		1	112
(3) TYPE OF WORK (check):		10	-
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	Fine gravel	112	121
f abandonment, describe material and procedure in Item 11.	Lova (Basa (T)	12.1	137
PROPOSED USE (check): (5) TYPE OF WELL:	Volcanic ash	137	148
	Lova (basait)	148	157
Domestic   Industrial   Municipal 🛣   Rotary   Driven   Cable   Jetted	Pumice	187	198
rrigation  Test Well  Other  Dug  Bored	Red basalt	198	206
	Thop rock (Dense basalt)	206	220
6) CASING INSTALLED: Threaded  Welded	ValCanic ash	820	228
8 "Diam. from 0 ft. to 392 ft. Gage	white ash or dictante and lova	228	265
	White our or dictomite	265	3 ct 3
		293	300
		300	330
7) PERFORATIONS: Perforated?   Yes   No	Lave and volcanic ash		
Type of perforator used	Nojconie ask	330	355
SIZE of perforations in. by in.	Mixed rock and gravel	355	390
perforations from ft. to ft.	Grove, water bearing	390	415
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from			ļ
perforations from			ļ
periorations from			
8) SCREENS: Well screen installed			
Manufacturer's Name		_	
'vpe Model No			
Slot size Set from ft. to ft.	Alt. 2375±		
.i. Slot size Set from ft. to ft.	Work started 19 . Completed	•	19 Ì C
Siot size	Work started 10 . Completed		
9) CONSTRUCTION:	(13) PUMP:		
Vas well gravel packed? ☐ Yes ☐ No Size of gravel:	Manufacturer's Name		
Gravel placed from ft. to ft.	Type:		
Vas a surface seal provided?   Yes   No To what depth? ft.	Type:		
Material used in seal—	Well Driller's Statement:		
Did any strata contain unusable water?    Yes    No	This well was drilled under my jurisdiction	and this	report is
	true to the best of my knowledge and belief.	and ting	report i
Method of sealing strata off	NAME (Person, firm, cr corporation)	Tune!	
(10) WATER LEVELS: 33 (9) 5			
Static level 34-3 ft. below land surface Date 1953	Address		
Artesian pressure lbs. per square inch Date	Duillant well number		
ar action breaders	Driller's well number	***************************************	
Log Accepted by:	[Signed]		
	[Signed] (Well Driller)		
Signed] Date	License No Date		, 19
<b>\</b>	•		