WATER WELL REPORT CETVED

STATE OF OREGON

SEP 25 1981

WATER RESOURCES DEPT SALEM, OREGON

State Well No.

State Permit No.	

1) OWNER:	(10) LOCATION OF WELL:		
Name PARADISE GUEST RANCH	County JOSEPHINE Driller's well number 157		
Address 7000 MONUMENT DR.	A December 1	<u>W.M.</u>	
Sity GARATS PASS State OK, 97526	Tax Lot # 500 Lot Blk Subdivision	-	
2) TYPE OF WORK (check):	Address at well location: 7000 Monument DK;		
New Well	(11) WATER LEVEL: Completed well.		
f abandonment, describe material and procedure in Item 12.			
3) TYPE OF WELL: (4) PROPOSED USE (check):	Deput de Willer Waller	11/81	
X		11.01	
Note Mud Dug	Artesian pressure lbs. per square inch. Date (12) WELL LOG: Diameter of well below casing		
□ Bored □ Thermal: Withdrawal □ Reinjection □	Depth drilled /40 ft. Depth of completed well /40) ft.	
(5) CASING INSTALLED: Steel 12 Plastic Plastic Threaded Welded X	Formation: Describe color, texture, grain size and structure of materials; and	l show	
R = R = R = R = R = R = R = R = R = R =	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level		
"Diam from ft to ft Gauge "Diam from ft to	and indicate principal water-bearing strata.		
		WL	
LINER INSTALLED:	Gennite Soft 0 10	- TE P	
	GRANITE & Boulders 10 15		
(6) PERFORATIONS: Perforated? □ Yes 🖈 No	Reman C'IAU 15 35		
Type of perforator used		5	
Size of perforations in. by in.	GRANITE MED-HARD BROWN 72 100		
perforations from ft. to ft.	GRANITE BLACK WHITE HARD 100 140		
perforations from	WASHIFE WHILE WIND AND THE STATE OF THE STAT		
perforations from ft. to ft.			
(7) SCREENS: Well screen installed? Yes			
Manufacturer's Name			
Type			
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.			
Drawdown is amount water level is lowered		_ 	
(8) WELL TESTS: below static level			
y pump test made? Yes No If yes, by whom?			
Yierd: gal/min. with ft. drawdown after hrs.			
" " " " " " " " " " " " " " " " " " " "			
Air test 50 gal./min. with drill stem at 10 ft. hrs.			
Bailer test gal./min. with ft. drawdown after hrs.			
A jan flow g.p.m.	0/11 0/11	-01	
Temperature of water 55 Depth artesian flow encountered ft.	Work started 9//O 198/ Completed 7///	198/	
(9) CONSTRUCTION: Special standards: Yes No Z	Date well drilling machine moved off of well	19 7	
Well seal—Material used CEMEAT 6 ROUT	Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct supervision. Materia and information raported above are true to my best knowledge and	ds used belief	
Diameter of well bore to bottom of sealin.		19.87.	
Diameter of well bore below sealin.	(Drilling Machine Operator)		
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No		
How was cement grout placed? 620 wt PUMP	Water Well Contractor's Certification:	-	
	This well was drilled under my jurisdiction and this report is	true to	
30	the best of my knowledge and belief.		
Was pump installed? Type HP Depth ft.	Name M.C./AAAHAAAUEUVRIIIAG	 int)	
Was a drive shoe used? Xyes \(\subseteq \text{No} \) Plugs Size: location ft.	Address 141 NIE, BEASON DR. GRANTS 1455 O	£ 975	
Did any strata contain unusable water?	Address (. Z.		
Type of Water? depth of strata	[Signed] (Water Well Contractor)		
Method of sealing strata off	7 7 0/10	10 /	
Was well gravel packed? ☐ Yes XNo Size of gravel:	Contractor's License No. 7 Date	, 19. %.] .	
Gravel placed from			