## WATER WELL REPORT STATE OF OREGON

Jose 10779

## RECEIVED

OCT 12 198 State Well No. 38/5-11 ad

WATER RESOURCES DEPT
SALEM. OREGON
SALEM. OREGON

(1) OWNER:	(10) LOCATION OF WELL:		
Name Mr. Prorok	County Josephine Driller's well number		
Address 13640 Water Gap Rd.		R. 5	W.M.
City Williams, State Oregon	Tax Lot # 402 Lot Blk	Subdivision	
(2) TYPE OF WORK (check):	Address at well location:		
New Well 【X Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed we	all	
f abandonment, describe material and procedure in Item 12.			
3) TYPE OF WELL: (4) PROPOSED USE (check):			1006-81
Air X Driven		r square inch. Date	
	(12) WELL LOG: Diameter of well below casing		
(5) CASING INSTALLED: Steel X Plastic	1.00		.80 ft.
Threaded D Welded X  "Diam from 0 ft to 160 ft Gauge •250	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL	From To	SWL
	Brown Clay w/ small grav		
	and boulders	0 30	40
(6) PERFORATIONS: Perforated? ☐ Yes X No	Green clay w/ boulders	30 100	40
Type of perforator used	Brown clay w/ boulders	100 160	40
Size of perforations in. by in.	Black and white rock.		
perforations from	medium soft	160 180	40
perforations from			
perforations from			
(7) SCREENS: Well screen installed?   Yes XNo			
Manufacturer's Name			
Type Model No		1 1 2 2	
Diam. Slot Size Set from ft. to ft.	Aquifer	160 180	60 gp
Diam. Slot Size Set from ft. to ft.  Drawdown is amount water level is lowered			
WELL TESTS: below static level			
Was a pump test made? ☐ Yes ☐ No If yes, by whom?			
Yield: gal/min. with ft. drawdown after hrs.			
lt u n n			
Ametest 60 gal./min. with drill stem at 160 ft. 1 hrs.			
er test gal/min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			L
Temperature of water 50 Depth artesian flow encountered ft.	Work started 10-5 1981 Complete	ed 10-6	19 81
(9) CONSTRUCTION: Special standards: Yes □ No 🛚	Date well drilling machine moved off of well	10-7	19 81
Well seal—Material used Portland Cement	Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct s		
Diameter of well bore to bottom of seal 10 in.	and information reported above are true to my b		
Diameter of well bore below seal6in.	[Signed] (Drilling Machine Operator)		f, 19 <b></b>
Number of sacks of cement used in well seal	Drilling Machine Operator's License No.		
How was cement grout placed?pumped	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction and this report is true to		
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief.		
Was a drive shoe used? ♥ Yes □ No Plugs	Name Paquin Drilling Inc. (Person, firm or corporation) (Type or print)		
Did any strata contain unusable water?   Yes  No	Address 1840 Willow Ln. Gr	ants Pass	s. Ore.
Type of Water? depth of strata	Rol. D. P.		
Method of sealing strata off	[Signed] (Water Well Contract	tor)	···········
Was well gravel packed? ☐ Yes XNo Size of gravel:	Contractor's License No. 675 Date	10-8	, 1981
Gravel placed from ft. to ft.			