WATER WELL REPORT STATE OF OREGON

505@a3

RECEIVED

State Well No. 355/5W-30dc

JUN 2 1982

State Permit No.

WATER RESOURCES DEPT	WATER	RESOURCES	DEPT
----------------------	-------	-----------	------

	SALEM. OREGON
(1) OWNER:	(10) LOCATION OF WELL:
Name HOLLIS GUNTER	County TOSEPHINE Driller's well number
Address 376 BONNIE LN	5W 4 SE 4 Section 30 T.35 = R. 5W W.M.
City (FRANTS PASS State ORE	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check):	Address at well location: (2157) DOWALDSON Rd
New Well	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotary Air Driven Domestic Hidustrial Municipal	Static level ft. below land surface. Date 4-23-8
Roters Mud Dug Irrigation Test Well Other	Artesian pressure \(\frac{1}{2} \) lbs. per square inch. Date
☐ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐	(12) WELLLOG: Diameter of well below casing
CASING INSTALLED: Steel Plastic Welded Welded	Depth drilled 2-00 ft. Depth of completed well 3-00 ft. Formation: Describe color, texture, grain size and structure of materials; and show
b"Diam. from	thickness and nature of each stratum and aquifer penetrated, with at least one entry
"Diam. from ft. to ft. Gauge	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED:	
"Diam. from	1 114111 20 0114
	BOULDERS & BRN CLAY 035 0
(6) PERFORATIONS: Perforated? Let Ves □ No Type of perforator used TORCH	0190 00117 0 00
Size of perforations 4 in. by 4 in.	
3.0 perforations from 160 ft. to 167 ft.	GRANITE- BLK WHT
perforations from ft. to ft.	GREEN (FRACT) 35 200 0
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes Also	
Manufacturer's Name	
Type Model No	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
a pump test made? 🗆 Yes 况 No. If yes, by whom?	
d: gal./min. with ft. drawdown after hrs.	
150	
Air test /) gal./min. with drill stem at 200 ft. 2 hrs. Bailer test gal./min. with ft. drawdown after hrs.	
sian flow g.p.m.	
Imperature of water 53° Depth artesian flow encountered ft.	Work started 4-15 19 52 Completed 4-28 19 82
(9) CONSTRUCTION: Special standards: Yes \(\) No	Date well drilling machine moved off of well
Well seal—Material used PORTIAND CEMENT	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] James Sublette Date 3.1982
Number of sacks of cement used in web seal sacks How was cement grout placed?	Drilling Machine Operator's License No.
How was cement grout placed?	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief.
Was a drive shoe used? Ves D No Plugs Size: location ft.	Name OLEMANS WEW DEICHNG (Oppoor print)
Did any strata contain unusable water? Yes Y-No	Address 2075 NW VINE - GRANTS PASS
Type of Water? depth of strata	[Signed] Prant Coleman
Method of sealing strata off	(Water Well Contractor)
Was well gravel packed? ☐ Yes	Contractor's License No. 6 93 Date 3-25, 1972
Gravel placed from	i e e e e e e e e e e e e e e e e e e e