WATER WELL REPORT STATE OF OREGON



RECEIVED

AUG 1 8 1982

STATE OF OREGON	AUG 1 8 1902 State Permit No	#3
TAW " U//	ER RESOURCES DEPT.	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	SALEM, OREGON	
(1) OWNER:	(10) LOCATION OF WELL:	٠.
Name PARADISE GUEST RANCh	County JOSEPHIAE Driller's well number	* <i>3</i>
Address 7000, Monument DR.	NW 4 NU/ 4 Section 23 T.355 R. 6	W.M.
City GRAAS PASS State OR. 97526		Subdivision
	Address at well location: 7000 . M.D.O.U.M.E.	nt DR
(2) TYPE OF WORK (check):	GRANTS PASS O	R. 97526
New Well X Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed well.	
If abandonment, describe material and procedure in Item 12.	- 217)	6.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Static level ft. below land surf.	- 9/0 kg
Rotary Air Driven Domestic M Industrial Municipal	Static level 5 ft. below land surf. Artesian pressure lbs. per square	
Rotary Mud Dug Irrigation Test Well Other		/ 11
! □ Bored □ Thermal: Withdrawal □ Reinjection □	(12) WELL LOG: Diameter of well below casing.	11.4
(5) CASING INSTALLED: Steel Plastic Plastic	Depth drilled /6/2 ft. Depth of complete	
(5) CASING INSTALLED: Steel Plastic Threaded Welded Welded	Formation: Describe color, texture, grain size and structure of thickness and nature of each stratum and aquifer penetrated, v	
6" Diam. from	for each change of formation. Report each change in position	of Static Water Level
"Diam. fromft. toft. Gauge	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL From	To SWL
ft. Gauge	BROWN CLAY & Boulders	
(6) PERFORATIONS: Perforated? □ Yes X No	Some GRANITE O	10
Type of perforator used	BROWN CLAY SOME GRANITE 10	25 3
Size of perforations in. by in.	GRANITE BROWN SOFT 25	70
perforations from	GRANITE MED-HARD 70	150
perforations from	GRANITE BLACK CWhite ISC	160
perforations from ft. to ft.	•	
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name	- April 160	
Type Model No		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes 🗡 No If yes, by whom?		
s a pump test made? I fee And if yes, by whom? sld: gal./min. with ft. drawdown after hrs.		
eid: gar/min.with it. drawdown after ins.		
Air test 75 gal./min. with drill stem at /49 ft. / hrs.		
Air test gal./min. with drill stem at /4 / ft. hrs. Bailer test gal./min. with ft. drawdown after hrs.		-
tesian flow g.p.m.		
mperature of water 53 Depth artesian flow encountered ft.	9/0 00	7/0
	Work started 3/8 19 8-2 Completed S	0/ 6 190 2
(9) CONSTRUCTION: Special standards; Yes ONO W	Date well drilling machine moved off of well	31 / 1382
20	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct supervi and information reported above are true to my best known	
Diameter of well bore to bottom of sealin.	[Signed] Charles B. P. Charles Date 8 . 7, 19.82	
Diameter of well bore below sealin.	(Drilling Machine Operator)	.vc g j, 10 . g c.
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No	
How was cement grout placed? SROUT TUMD	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and t	his report is true to
Wit-11-12 h O T	the best of my knowledge and belief.	I
Was pump installed? Type HP Depth ft.	Name MCCIAMA HAM WELL DRILL	ING
Was a drive shoe used? A Yes \square No Plugs	(Person, firm or corporation)	Phose NP 97
Type of Water? depth of strata	Address (.41. M.E. DEACON. IR. ORA ICES	C. A. Sargell Land. L. A.
Method of sealing strata off	[Signed] Ce Wataret	·
Was well gravel packed? Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)	9 .00
Constitution of the State of th	Contractor's License No	