## WATER WELL REPORT STATE OF OREGON

State Well No. 35s	bw-92
--------------------	-------

RECEIVED

NOV 2 6 1982

State Well No. 35x | bw - 9 d

WATER RESOURCES DEPT. State Permit No. SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:		
Name BLM (MEDFORD DIST)	County OSERAINE Driller's well n	number 72	)
Address P.O. 130× 2965	4 5E 4 Section 9 T. 355	1.6W 1.7	W.M.
City PORTIAGO State OR 97208	Tax Lot # Lot Blk	Subdivision	
(2) TYPE OF WORK (check):	Address at well location:		
New Well	(44) XXIAODDD TEXTOT O	71	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	ш. С	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	<u>ب                                    </u>	ft.
		nd surface. Date	
Rotary Air 🚺 Driven 🗆 Domestic 🗆 Industrial 🗀 Municipal 🗆 Rotary Mud 🗆 Dug 🖂 Irrigation 🕊 Test Well 🗀 Other 🖂	Artesian pressure lbs. per	square inch. Date	
Cable   Bored  Thermal: Withdrawal  Reinjection	(12) WELL LOG: Diameter of well below c	asingO	
(5) CASING INSTALLED: Steel Plastic		ompleted well	ft.
8 Diam from +3 ft to 148 9 ft Gauge 320	Formation: Describe color, texture, grain size and structhickness and nature of each stratum and aquifer penetror for each change of formation. Report each change in peand indicate principal water-bearing strata.	rated, with at least	one entry
			<del></del>
LINER INSTALLED:	MATERIAL	From To	SWL
"Diam. from	SALIDY BROWN TOPSOIL	0 2	
(6) PERFORATIONS: Perforated? Yes \( \sigma \) No	BROWN DECOMPOSED GOWER	2 30	
Type of perforator used TSQCH	BROWN & BLUE	30 120	
Size of perforations /4 in. by in.	DECOMPOSED GRANTES	20 120	
perforations from .7.5 ft. to	HARD BLUE GRANTE	120 130	
perforations from			· · ·
(7) SCREENS: Well screen installed?  Yes No			
Manufacturer's Name	·		<del></del> .
Type Model No			
Diam. Slot Size Set from ft. to ft. to ft.			
Diam. Slot Size Set from ft, to ft.			
(8) WELL TESTS:  Drawdown is amount water level is lowered below static level			
Was a pump test made? Yes No If yes, by whom? Journal of the sal /min with 5.7 ft. drawdown after 13 hrs.			<del></del> · :
d:			
11 1 11 11 11 11 11 11 11 11 11 11 11 1			·
Air test gal./min. with drill stem at ft. hrs.  Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.  perature of water 56 Depth artesian flow encountered	W N . 6	11-10	جع.
	Work started 19 C Complete  Date well drilling machine moved off of well	11-10	1982
(9) CONSTRUCTION: Special standards: Yes \( \text{No } \)		7000	
Well seal—Material used	Drilling Machine Operator's Certification:  This well was constructed under my direct so	unamisian Mata	riala waad
Diameter of well bore to bottom of sealin.	and information reported spove are true to my b	est knowledge ar	d belief.
Diameter of well bore below seal	[Signed] laude July		<u>ے9</u> 9
Number of sacks of cement used in well seal 25 sacks	(Drilling Machine Operator)		
How was cement grout placed?	Drilling Machine Operator's License No		
	Water Well Contractor's Certification:	-	_
	This well was drilled under my jurisdiction		
Was pump installed?	the best of my knowledge and belief. JONES		
Was a drive shoe used?  Yes No Plugs Size; location ft.	(1 Clading III in or compositions)	9400 Santigm:	F
Did any strata contain unusable water?	Address	ebanon, OR 9	/355
Type of Water? depth of strata	[Signed] Bend forms	,	
Method of sealing strata off	(Water Well Contract	44	
Was well gravel packed? If Yes I No Size of gravel:	Contractor's License No	11-10	, 1904
Gravel placed from			