WATER WELL REPORT STATE OF OREGON

- RECEIVED

365/	6W	-QCA

PLEASE TYPE or PRINTER INCSOURCES DEPT

	(10) LOCATION OF WELL:		
1) OWNER:		umbor	
Name Bruce Stowell	County Josephine Driller's well nu N.E. 4 S. W4 Section 2 T. 36 R		
Address 421 Wildwood Otty Grants Pass State OR	Tax Lot # 610 Lot Blk	Subdivision	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Address at well location: 1500 Pinecre	st	
2) TYPE OF WORK (check):			
New Well ∰ Deepening □ Reconditioning □ Abandon □	(11) WATER LEVEL: Completed wel	11.	
f abandonment, describe material and procedure in Item 12.	Depth at which water was first found	82 <u>ft.</u>	
3) TYPE OF WELL: (4) PROPOSED USE (check):		d surface. Date 4/13/8	
Rotary Air 😾 Driven 🗆 Domestic 🖳 Industrial 🗆 Municipal 🗆		square inch. Date	
Rotary Mud Dug	(12) WELL LOG: Diameter of well below ca	sing	
	Depth drilled 125 ft. Depth of co	mpleted well 125 ft.	
(5) CASING INSTALLED: Steel X Plastic	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry		
6" Diam. from +2ft. to80ft. Gauge250	for each change of formation. Report each change in po-	sition of Static Water Level	
	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL	From To SWL	
"Diam. from	Brown Clay	0 12	
(6) PERFORATIONS: Perforated? □ Yes 🕱 No			
Type of perforator used	Decomposed Granite	12 75	
Size of perforations in. by in.		7 40 7 11 7 3	
perforations from ft. to ft.	Fractured Tombstone	75 125 45 '	
perforations from ft. to ft.			
perforations from ft. to ft.			
(7) SCREENS: Well screen installed? ☐ Yes ☒ No			
Manufacturer's Name	Aguifer	82 95 5 GPM	
Type			
Diam. Slot Size Set from ft. to ft,		119 122 4 GPM	
Diam. Slot Size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
		·	
Was a pump test made? ☐ Yes ☒ No If yes, by whom?			
id: gal./min. with ft. drawdown after hrs.			
00 0 4 1			
C. J Show			
Bailer test gai./min. with it. drawdown after ins. Artesian flow g.p.m.			
operature of water 49 Depth artesian flow encountered ft.	Work started 4/13/8419 Complete	d 4/13/84 19	
	Date well drilling machine moved off of well	11/13/84 19	
(9) CONSTRUCTION: Special standards: Yes □ No ☑ Cement	(unbonded) Water Well Constructor Certifi	cation (if applicable):	
Well sealed from land surface to 20 ft.	This well was constructed under my direct s	upervision. Materials used	
Diameter of well bore to bottom of seal	and information reported above are true to my b	est knowledge and belief.	
Diameter of well bore below seal	[Signed]Bob. Quinn	. Date	
Number of sacks of cement used in well sealsacks	Bonded Water Well Constructor Certificati		
How was cement grout placed? Pumped	Bond 2394665 Issued by: West	ern Surety Co.	
	This well was drilled under my jurisdiction		
No VD Duth	the best of my knowledge and belief.		
Was pump installed? NO. Type HP Depth ft.	Name Paquin Drilling Inc. (Type or print)		
Was a drive shoe used? X Yes □ No Plugs Size: location ft. Did any strata contain unusable water? □ Yes X No	Address 1840 Willow In., Grants Pass, OR.		
Type of Water? depth of strata	Ral. O. C.)	
Method of sealing strata off	[Signed] Water Well Construction	tor (01)	
Was well gravel packed? ☐ Yes ▼No Size of gravel:	Date	1.3/84, 19	
Gravel placed from ft. to ft.			