WATER WELL REPORT STATE OF OREGON

(9) CONSTRUCTION:

Was a drive shoe used? X Yes □ No

Was well gravel packed? ☐ Yes ☑ No

Method of sealing strata off

Type of Water?

Diameter of well bore to bottom of seal 1.0..... in.

Did any strata contain unusable water? ☐ Yes 又 No

Gravel placed from ft. to ft.

ECEIVED State Well No.

JIII 1 S.1984

305/6W-2300
/

State Permit No. PLEASE TYPE OF PRINT IN INK OURCES DEPT EN FIL COLCON (1) OWNER: (10) LOCATION OF WELL: Bbb & Rella Taylor Name Josephine Driller's well number 598 N.E. "E" Street 14 N. F. 14 Section 23 36 W.M. Address Grants Pass OR Tax Lot # 2200 Subdivision Address at well location: 1031 Mesman Dr (2) TYPE OF WORK (check): Deepening Reconditioning (11) WATER LEVEL: Completed well. If abandonment, describe material and procedure in Item 12. Depth at which water was first found (3) TYPE OF WELL: (4) PROPOSED USE (check): Static level ft. below land surface. Date Industrial
Test Well Rotary Air 🔯 Domestic Municipal Artesian pressure lbs. per square inch. Date Rotary Mud Dug Irrigation Other \Box $\bar{\Box}$ \Box Thermal: Withdrawal Reinjection (12) WELL LOG: Diameter of well below casing Depth drilled ft. Depth of completed well (5) CASING INSTALLED: Steel Plastic Formation: Describe color, texture, grain size and structure of materials; and show Threaded Welded Ġ. thickness and nature of each stratum and aquifer penetrated, with at least one entry 6 ... "Diam from +2 ft to 50 ft Gauge for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata." Diam. from ft. to ft. Gauge LINER INSTALLED: MATERIAL SWI. From То Lft. of Gauge 0 Brown Clat (6) PERFORATIONS: Perforated? ☐ Yes ☐xNo Brown Clay, Small Gravel Type of perforator used Size of perforations in. by 18 Sand 15 perforations from the to the fet. perforations from ft. to ft Brown Clav. Small to ft. to..... ft. Meduim Gravel. Sandv 18 26 (7) SCREENS: Well screen installed?

Yes X No Manufacturer's Name Type Model No. Slot Size Set from ft. to ft. Aquifer 50 75 15 GPM Slot Size Set from ft. to ft. Drawdown is amount water level is lowered (8) WELL TESTS: below static level s a pump test made?

Yes X No If yes, by whom? gal./min. with ft. drawdown after hrs. 15 Air test gal./min. with drill stem at hrs. Bailer test gal./min. with ft. drawdown after esian flow 52 nperature of water Depth artesian flow encountered ft. Work started Completed

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Mike Pierce Date 7/11/, 1984

Bonded Water Well Constructor Certification:

Date well drilling machine moved off of well

2394665 Issued by: Western Surety Co.

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Paquin Drilling Inc.	
(Person, firm or corporation)	(Type or print)

Address ...1.840. Willow In. Grants Pass OR

Date 7/11/84 ,19

Plugs Size: location ft.

Size of gravel:

Special standards: Yes □ No ☑

Well seal—Material used Cement

Well sealed from land surface to ______ ft.

How was cement grout placed?Pumped.....

depth of strata