STATE OF OREGON

RECEIVED

(for official use only)

MAY 3 0 1985
WATER RESOURCES DEPT WATER WELL REPORT (as required by ORS 537.765)

(1) OWNER DEPT	
(I) OWNER:	(10) LQCATION OF WELL by legal description:
Name Bob Hoelkich	County Jose phine NW 14 SW 14 of Section 36 of
Address 11259 Lower River Rd	Township S S S (Range (Range is East or West) , WM.
City Grants Pass State Gragon	
(2) TYPE OF WORK (check):	Tax Lot Block Subdivision MAILING ADDRESS OF WELL (or nearest address)
New Well ☐ Deepening ☐ Reconditioning ☑ Abandon ☐	The state of the s
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL of COMPLETED WELL:
Rotary Air Driven Domestic Industrial Municipal	Depth at which water was first found ft.
Thermal	Static level ft. below land surface. Date
Rotary Mud Dug Irrigation Withdrawal Reinjection Dither:	Artesian pressure lbs. per square inch. Date
Cable Bored Piezometric Grounding Test	(10) WITH TOO
(a) CASING INSTALLED: Steel Plastic	(12) WELL LOG: Diameter of well below casing
Threaded Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness
8 "Diam. from + 8 ft. to + 2 ft. Gauge . 250	and nature of each stratum and aquifer penetrated, with at least one entry for each change of
	formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
LINER INSTALLED: Steel Plastic	
Threaded \square Welded \square	MATERIAL From To SWL
"Diam. fromft. toft. Gauge	S. 20 0" 0" 10 1
(6) PERFORATIONS: Perforated? □ Yes □ No	Swedge 8" Steel CASing
Size of perforations in. by in.	0111'-100"
perforations from ft. to ft.	Add 6 of 8" Casing To Top
perforations from ft. to ft.	of Well
perforations from ft. to ft.	0, 20, 611
(7) SCREENS: Well screen installed? \[\subseteq \text{Yes} \subseteq \text{No} \]	Install 25 No Line Shaff
Manufacturer's Name	Pump Line Shatt
Type	1 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -
Diam. Slot Size Set from ft. to ft.	
Diam	
Drawdown is amount mater level is laward	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes I No If yes, by whom?	
Field: gal./min. with ft. drawdown after hrs.	
) u u	
Air test gal./min. with drill stem at ft. hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
Depth artesian flow encounteredft.	
9) CONSTRUCTION: Special standards: Yes \(\subseteq \text{No } \subseteq \)	Date work started MAy 26 85 /completed MAY 29 85
Well seal—Material used	Date well drilling machine moved off of well may 30 1988
Well sealed from land surface to	(unbonded) Water Well Constructor Certification (if applicable):
Diameter of well bore to bottom of seal in.	This well was constructed under my direct supervision. Materials used and
Diameter of well bore below sealin.	information reported above are true to my best knowledge and belief.
Amount of sealing material sacks pounds	[Signed] Date, 19
How was cement grout placed?	
	(bonded) Water Well Constructor Certification: Bond 4454391 Issued by: United Pacific Tus
***************************************	(number) (Surety Company Name)
Was pump installed? Type ShalaP Depth 50 ft.	On behalf of Bill SHANAHAN Well DRilling
Was a drive shoe used? Yes No Plugs Size: location ft.	(type or print name of Water Well Constructor)
Oid any strata contain unusable water?	This well was drilled under my jurisdiction and this report is true to the
Cype of Water? depth of strata	best of my knowledge and belief:
Method of sealing strata off	(Signed) William V. Slanka 2 2
Vas well gravel packed? 🗌 Yes 🖺 No Size of gravel:	(Water Well Constructor)
Gravel placed from ft. to ft.	(Dated) 29 may 85 52