NOTICE TO WATER WELL CONTRACTOR TO WATER WELL REPORT Of this report are to be filed with the FFB 4 1975 STATE OF OREGON OCT 1 6 1974 State Well No. 375 5W-25dc			
of this report are to be filed with the FFB 4 1975 STATE OF	OPEGON UCT 1 6 1974 State Well No. 3	75/5W.	-25dc
STATE ENGINEER, SALEM, OREGON 97310 (Please type	or print) STATE ENGINEED	4561	
within 30 days from the date STATE ENGINEER of well completion.  SALEM, OREGON	or print) STATE ENGINEER State Permit No. ove this ImGALEM, OREGON	2000	
(1) OWNER:	(10) LOCATION OF WELL:		
Name Elyde Mathaney	County JOSEONING Driller's well number		
Address 705 MICS OUN Flat rd.	201 65 25 75		
77703500777			
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well	- TL 1800		
If abandonment, describe material and procedure in Item 12.	(44)		<del></del>
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed wel	I.	
	Depth at which water was first found	<u> </u>	/ ft./
Cable	Static level ft. below land surface. Date 19		
Dug   Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date		
(3) CASING INSTALLED: Threaded   Welded	(10) 11771 1 0 0		<i>y</i> *
"Diam. from ft. to ft. Gage . 750	(12) WELL LOG: Diameter of well below casing		
"Diam. fromft. toft. Gage	Depth drilled 106 ft. Depth of completed well 106 ft.		
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aguifer penetrated.		
	with at least one entry for each change of formation. Report each change in		
(6) PERFORATIONS: Perforated?   Yes No.	position of Static Water Level and indicate princip	al water-bearin	g strata.
Type of perforator used	MATERIAL	From To	SWL
Size of perforations in. by in.	clay, brown	0 13	
perforations from ft. to ft.	Gradite brown clay	358	·
perforations from ft. to ft.	cranite med hard 1 3	58 87	
perforations from ft. to ft.	Granite, grey tractured	57 106	15
(7) SCREENS: Well screen installed?   Yes   Wes			
Manufacturer's Name	. :		-
Type Model No ft. to ft.			<del></del> .
Diam. Slot size Set from ft. to ft.	By the Principle of the Association of the Control		<del></del> -
Didit,			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made?   Yes   No If yes, by whom?			
ld: gal./min. with ft. drawdown after hrs.			•
	-		٠.
#IK 1/1- " " "			
pairer test 45 gal./min. with 10 ft. drawdown after / hrs.	·		
tesian flow g.p.m.			j j
nperature of water Depth artesian flow encounteredft.	Work started 18/1/ 19/4 Completed	10/1/	194
(9) CONSTRUCTION:	Date well drilling machine moved off of well	1011	194
- Dungat about	Drilling Machine Operator's Certification:	1	
27	This well was constructed under my d	irect super	vision.
Well sealed from land surface toft.	Materials used and information reported above are true to my best knowledge and belief 2 2		
Diameter of well bore to bottom of sealin.  Diameter of well bore below seal			
Diameter of well bore below seal	[Signed] Date Date (Drilling Machine Operator)		
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No. 109		
Brand name of bentonite			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name Seorare M. Claudia: Wall Dr. IIng		
Did any strata contain unusable water?   Yes No	(Person, firm or corporation) (Type) or print)		
Type of water? depth of strata	Address 141 Milain of Chark Hers Ole		
Method of sealing strata off	(Strent Wanden)		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Contractor)		
Gravel placed fromft. toft.	Contractor's License No. 427 Date	0/4/	(19)4
		/ / /	