## **JOSE 19146**

The original and first copy of this report are to be filed with the AUG 17 1967 STATE OF OREGON

JOSO 29114 (State Well No.

34S 6W 35 SWNW

343	γÇV	۷ ۵	3 344	IVV
35	·/ <sub>F</sub>	,	20	
ਹਰ	0	0	U	
	,			

filed with the AUG 17 1967 STATE OF OREGON STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) within 30 days from the date TE ENGINEDA for write above this line) of well completion. SALEM, OREGON

State Permit No. ... Oxyoke Rd TL 800 per WM

(1) OWNER:	(11) LOCATION OF WELL:				
Name GRNEST MCCORMICK	County OSCOHINE Driller's well number				
Address 635 CX UOLK Rd.	14 14 Section 3.5 T. 35-SR. (0 W.M.				
(2) TYPE OF WORK (-bb.)	Bearing and distance from section or subdivision	_	;		
(2) TYPE OF WORK (check):	60 WOF ELINE		i		
New Well Deepening Reconditioning Abandon Reconditioning Abandon	45 SOFNLINE IN NEC	<u>ORNC</u>	R		
If abandonment, describe material and procedure in Item 12.					
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well b	elow cas	ing	2	
Cable Detted Domestic Industrial Municipal	Depth drilled 124 ft. Depth of comple	ted well	124	ft.	
Bored   Irrigation   Test Well   Other   CASING INSTALLED: Threaded   Welded	Formation: Describe color, texture, grain size a and show thickness and nature of each stratum with at least one entry for each change of form.	n and a	quifer pe	netrated,	
6 " Diam. from 6 ft. to 6 ft. Gage 025	in position of Static Water Level as drilling pro		-	_	
" Diam. from ft. to ft. Gage	MATERIAL	From	То	swL	
" Diam. from ft. to ft. Gage	Top. Soil BROWN	Ø	/		
PERFORATIONS: Perforated? Yes \( \text{No.} \)  Type of perforator used \( \text{Nils} \) \( \text{PCR FOR B TOR} \)	BROWN CLAY	- /	6		
Size of perforations 3 in. by 4 in.					
10 perforations from 96 ft. to 101 ft.	Hellow Chay	lo	23	·	
perforations from ft. to ft.	decomposed GRANIT	2,3	105-	28	
perforations fromft. toft.	Head blog clay-Sax	100	- 101	1 6	
perforations fromft. to	HARd blue Clay-Sand	100	124	<del>'</del>	
(7) SCREENS: Well screen installed? \(\sigma\) Yes \(\overline{\text{V}}\) No					
(*) SCREENS: Well screen installed?   Yes PNo  Manufacturer's Name					
TypeModel No.					
Diam. Slot size Set from ft. to ft.				<del></del>	
Diam Slot size Set from ft. to ft.					
(§) WATER LEVEL: Completed well.					
c level ft. below land surface Date 7-17-67					
Arresian pressure lbs. per square inch Date					
			-		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level					
Was a pump test made? ☐ Yes ☑ No If yes, by whom?				·	
t: gal./min. with ft. drawdown after hrs.	Work started 7-// 1967 Complete	id 97 -	15	<u> 19 6 7</u>	
" " "	Date well drilling machine moved off of well	<u>7- /</u>	7	1967	
n n n	Drilling Machine Operator's Certification:				
Bailer test 9 gal./min. with//oft. drawdown after hrs.	This well was constructed under my di- rials used and information reported abov				
Artesian flow g.p.m. Date	knowledge and belief.			-19	
Temperature of water 546 Was a chemical analysis made?   Yes No	[Signed] Sluven I Witch	Date	ug!	719.4	
(10) CONSTRUCTION: Well seal—Material used CEMENT GROUT	Drilling Machine Operator's License No	46	0		
Well seal—Material used CEMENI GROUL  Depth of seal ANGELOW CLAY 20 tt.	Water Well Contractor's Certification:		-	<del></del>	
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is				
Were any loose strata cemented off?   Yes To No Depth	true to the best of my knowledge and belie		n' 11.	, n	
Was a drive shoe used? Yes \( \bar{\text{No}} \)	NAME GOS OA PER WE		e or print)	<u> </u>	
Did any strata contain unusable water?   Yes   No	Address 75 70 MODUME	11.7	DR	C	
Type of water? depth of strata	Address / O / / / D / / / / / / / / / / / / / /	IV.	· · · · ·	<u></u>	
Method of sealing strata off	Isimus Fly 117.14	100 J	)		
Was well gravel packed? ☐ Yes Z No Size of gravel:	[Signed] (Water Well Contract	(or)	. ^		
Gravel placed from ft. to ft.	Contractor's License No. 469 Date	Ma	15	19.67	
				·	

