

STATE OF OREGON
WATER WELL REPORT
 (as required by ORS 537.765)

PLEASE TYPE OR PRINT IN INK

RECEIVED

AUG 20 1984

3556W-21ca
 deep
 (for official use only)

SALEM, OREGON

(1) OWNER:

Name Merlin Park C/o Joe Lavallee
 Address 192 Sunbeam Circle
 City Merlin State ORE

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
 Rotary Mud Dug
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
 Thermal:
 Irrigation Withdrawal Reinjection
 Other:
 Piezometric Grounding Test

(5) CASING INSTALLED:

Steel Plastic
 Threaded Welded

" Diam. from NO ft. to ft. Gauge
 " Diam. from ft. to ft. Gauge

LINER INSTALLED:

Steel Plastic
 Threaded Welded

" Diam. from 0 ft. to 152 ft. Gauge 2 1/2

(6) PERFORATIONS:

Perforated? Yes No

Size of perforations 1/8 in. by 3 in. PVC
80 perforations from 130 ft. to 150 ft.
160 perforations from 50 ft. to 110 ft.
 perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name Model No.
 Type Diam. Slot Size Set from ft. to ft.
 Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?

Well: gal./min. with ft. drawdown after hrs.

..... gal./min. with ft. drawdown after hrs.

Air test 45 gal./min. with drill stem at 151 ft. / hrs.

Bailer test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water 52° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No

Well seal—Material used

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal NA in.

Diameter of well bore below seal in.

Amount of sealing material sacks pounds

How was cement grout placed?

Was pump installed? NO Type HP Depth ft.

Was a drive shoe used? Yes No Plugs Size: location ft.

Did any strata contain unusable water? Yes No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from 60 ft. to 152 ft.

(10) LOCATION OF WELL by legal description:

County Josephine NE 1/4 56 of Section 21 of Township 35 Range 6W WM.
 (Township is North or South) (Range is East or West)
 Tax Lot 301 Lot Block Subdivision

MAILING ADDRESS OF WELL (or nearest address)

180 Acorn St
Merlin, ORE

(11) WATER LEVEL of COMPLETED WELL:

Depth at which water was first found 85 ft.
 Static level 29 ft. below land surface. Date 8/13/84
 Artesian pressure 0 lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6"

Depth drilled 75 ft. Depth of completed well 152 ft.
 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Rock's-bottles Tires etc existing in well	0	85	
Soft decomposed granit	85	150	29'
Hard granit	150	160	29'

Date work started 8/13/84 / completed 8/13/84
 Date well drilling machine moved off of well 8/13 1984

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Charles R. Wetch Date 8/16/84, 1984

(bonded) Water Well Constructor Certification:

Bond # 63-030-930-74 Issued by: Fidelity Guaranty
 (number) (Surety Company Name)

On behalf of Ken Wetch
 (type or print name of Water Well Constructor)

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief:

(Signed) Charles R. Wetch
 (Water Well Constructor)

(Dated) 8/16/84

NOTICE TO WATER WELL CONSTRUCTOR

The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,

SALEM, OREGON 97310

within 30 days from the date of well completion.

SP*46866-690