NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the	L REFORE CEIVED	at chin	a guana
STATE ENGINEER, SALEM, OREGON 97310 (Please type	OREGEN AUG 2 1973 State Well No.	263/6W-	15 00
within 30 days from the date of well completion. (Do not write ab	ove this line) SALEM OREGON	)	
(1) OWNER: -	(10) LOCATION OF WELL:		<u> </u>
Name Pat Patterson.	County Josephine Driller's well number		
Address 4425 LOWER RIVER Rd.	SW 1/4 SW 1/4 Section 15 T. 365 R. 641 W.M.		
Grants Pess, Oregon	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Well 🕅 Deepening 🔲 Reconditioning 🔲 Abandon 🗌	-		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		ft
Rotary 🕱 Driven 🗆 — Domestic 🕱 Industrial 🗆 Municipal 🗔	Static level 40 ft. below land surface. Date 6-28-7*		
Cable Jetted Jetted Industrial Indust	Artesian pressure lbs. per squar		2012
	Artesian pressure ibs. per squar	a men. Date	
CASING INSTALLED: Threaded [] Welded	(12) WELL LOG: Diameter of well b	elow casing	
	Depth drilled $\mathcal{PO}$ ft. Depth of completed well $\mathcal{PO}$ ft.		
	Formation: Describe color, texture, grain size a	and structure of m	naterials:
"Diam. from ft. to ft. Gage	and show thickness and nature of each stratur	n and aquifer per	netrated,
PERFORATIONS: Perforated? X Yes D No.	with at least one entry for each change of format position of Static Water Level and indicate prim	•	•
Type of perforator used Torch	MATERIAL	From To	SWL
Size of perforations 1/4 in. by 4 in.	Conclomerate	0 90	110
<u>42</u> perforations from <u>83</u> ft, to <u>90</u> ft.	<u>Congromerare</u>	0 10	70
perforations from			
perforations from	-		
	· · · · ·		
(7) SCREENS: Well screen installed?  Ves X No			
Manufacturer's Name			<u> </u>
Type			
Diam.         Slot size         Set from         ft.         ft.           Diam.         Slot size         Set from         ft.         ft.		· · · · · · · · · · · · · · · · · · ·	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	·		·
Was a pump test made? 🗌 Yes 🙀 No If yes, by whom?			
gal./min. with ft. drawdown after hrs.	<b>L</b> ine		
<u>n</u> <u>n</u> <u>n</u> <u>n</u>			. <u> </u>
Bailer test 60 gal./min. with 39 ft. drawdown after 2 hrs.			
Amisian flow g.p.m.			
A perature of water Depth artesian flow encountered	Work started 6-25 1973 Complete	1-19	19 73
	Date well drilling machine moved off of well	<u> </u>	
(9) CONSTRUCTION:		6-28	19/3
Well seal-Material used	Drilling Machine Operator's Certification:	dinaat aunan	wision
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	above are true	to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.	A . A /	
Diameter of well bore below seal	[Signed] D.K. Carterran Date 7-26, 19.73 (Drilling Machine Operator)		
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No822		
Number of sacks of bentonite used in well seal sacks Brand name of bentonite		- 1414, 111 - 1415 - 1411 - 1717, - 1411 - 141	·····
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of water	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? X Yes I No Plugs Size: location	true to the best of my knowledge and belief, Name Coleman's Well Drylling		
Did any strata contain unusable water?  Ves X No	Name (Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 2060 N.W. Vine, Grants Pass		
Method of sealing strata off	Our P4	1.	
Was well gravel packed?  Yes X No Size of gravel:	[Signed](Water Well Contra	TIM	
	Contractor's License No. 380. Date		10 72
Gravel placed from ft. to ft.		• • • • • • • • • • • • • • • • • • • •	· · ·
(USE ADDITIONAL SH	EETS IF NECESSARY)	SP	**45656-119