NOTICE TO WATER WELL CONTRACTOR THE OF OREGON

The original and first copy of this report are to be SEP 13 1971 WATER WELL REPORT filed with the STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310

STATE

s line)

State	Well No.	36	6W-	16do
			-	

EENGINE	ER, SALEM	, OREGON'9	7310 🛶 1 🗸	***	 - 1, C	L'Blesse	twne or	nrin
within 3	days from	, OREGON'9 the date !	EM C	180		- (IECABC	O DC OI	Dr III
	ell complet				(D	not writ	e above	this

\				•
)05E	State	Permit	No.	***************************************
3941				
J rue!				

(1) OWNER:	(10) LOCATION OF WELL:
Name O. Silet	County Josephine Driller's well number
Address 4571 Lowet River Rd Grante Pass, Ore	SE 45E 4 Section /6 T. 365 R. 6W W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
• • •	
New Well ☑ Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 45 ft.
Rotary ☐ Driven ☐ ☐ Domestic ☑ Industrial ☐ Municipal ☐	Static level /4 ft. below land surface. Date 1/28/2
Cable 52 Jetted   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded   Welded   W	(12) WELL LOG: Diameter of well below casing  Depth drilled /// ft. Depth of completed well /// ft.  Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used / Orch	MATERIAL From To SWL
Size of perforations 4 in. by 14 in.	Conglamerate Clar
20 perforations from 45 ft. to 50 ft.	med Gravel 0 45 14
20 perforations from 85 ft. to 70 ft.	
perforations from /05 ft. to //0 ft.	Sand Course To med
(7) SCREENS: Well screen installed?   Ves. D*No.	Gravel Conglomerate 45 111 14
(1) SCREENS: Well screen installed? □ Yes [本 No Manufacturer's Name	
Type Model No,	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes 万No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " "	
" " "	
	·
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started $\frac{1}{20}$ 19 $\frac{1}{20}$ Completed $\frac{1}{20}$ 19 $\frac{1}{20}$
(9) CONSTRUCTION:	Date well drilling machine moved off of well 7/28 197/
Well seal—Material used Cemcut	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief.
Diameter of well bore below seal	[Signed] (Drilling Machine Operator) Date 9-10, 197/
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No. 260
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? ☑ Yes ☐ No Plugs Size: location ft.	Name Coleman's Well Willing
Did any strata contain unusable water? 🗌 Yes 🙎 No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 2060 Vine St.
Method of sealing strata off	[Signed] Doseph C Colina
Was well gravel packed? ☐ Yes ☒ No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 380 Date 9-10, 1971
	19.55