RECEIVELJOSE 54064

JUL 0 6 2001

STATE OF OREGON

WATER SUPPLY WELL REPORTER RESOURCES DEPT.
(as required by ORS 537.765)
SALEM, OREGON

WELL I.D. # L <u>L 497 96</u> START CARD # <u>139 7 4 8</u>

Instructions for completing this report are on the last page of this form.	
(1) LAND OWNER Williams Well Number 139748	(9) LOCAPION OF WELL by legal description:
Name CITED COCOCO	County OSe Ohin eLatitude Longitude Township 39 Nors Range 7 E o W. W.M.
Address 280 Garnen Rd. Cit (Ave Junction State Or Zip 97523	Section 31 AE 1/4 NW 1/4
	Tax Lot 201 Lot Block Subdivision
(2) TYPE OF WORK ☐ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment	Street Address of Well (or nearest address) 280 GAMER /
(3) DRILL METHOD:	CAVE JUNCTION, Or
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATER LEVEL: 136 ft. below land surface. Date 6-9-61
Other	Artesian pressurelb. per square inch Date
(4) PROPOSED USE:	
Domestic Community Industrial Irrigation	(11) WATER BEARING ZONES:
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	Depth at which water was first found
(5) BORE HOLE CONSTRUCTION: Special Construction approval Yes No Depth of Completed Well 200 ft.	
Explosives used Yes No Type Amount Amount	
HOLE SEAL	170 200 25 36
nom	
Diameter From To Bentonite Prom To Sack or pounds	
6" 23 200	(12) WELL LOG:
How was seal placed: Method A B C D E	Ground Elevation
Bentanite Poured	Material / From To SWL
Backfill placed fromft. toft. Material	Brown Chay/L6 0 12
Gravel placed fromft. toft. Size of gravel	and the
(6) CASING/LINER: Diameter From To Gauge Steel Plastic Welded Threaded	1 gritter
	Brown clay / 12 60
Casing: 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	med ravel
	11121/
	Lt Brown clay 60 95
Liner:	SM Gravel
Drive Shoe used ☐ Inside ☐ Outside ☐ None	Brown Chy 95 165
Final location of shoe(s)	tine scarely
(7) PERFORATIONS/SCREENS:	SANO
Perforations Method	
Screens Type Material Talk fairs	Brown Chay/ 165 200
Slot Tele/pipe From To size Number Diameter size Casing Liner	tine + med
	GrAVE 1 + JAD
	Date started 6 - 7 - 0 1 Completed 6 - 7 - 0 1
(8) WELL TESTS: Minimum testing time is 1 hour Flowing	(unbonded) Water Well Constructor Certification:
□ Pump □ Bailer □ Air □ Artesian	1 certify that the work I performed on the construction, alteration, or abandon-
Yield gal/min Drawdown Drill stem at Time	ment of this well is in compliance with Oregon water supply well construction
25 96 (1 hr.)	standards. Materials used and information reported above are true to the best of my
	knowledge and belief. WWC Number
	Signed Date
530 Doub America Flow Found	(bonded) Water Well Constructor Certification:
Temperature of water 53° Depth Artesian Flow Found	I accept responsibility for the construction, alteration, or abandonment work
Was a water analysis done?	performed on this well during the construction dates reported above. All work
Did any strata contain water not suitable for intended use? ☐ Too little ☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Depth of strata:	
Depth of Strate.	Signed Charlie Sill WWC Number 1504 Date 1-2-01