STATE OF OREGON

WATER SUPPLY WELL REPORT

STATE OF UREGON	70886	<u> </u>
WATER SUPPLY WELL REPORT	WELL I.D. # L ⁷⁰⁸⁸⁶ START CARD #_ 163114	
(as required by ORS 537.765)	START CARD #	-
Instructions for completing this report are on the last page of this form.		
(1) LAND OWNER Well Number	(9) LOCATION OF WELL by legal description:	
Name SISKIYOU NATIONAL FOREST	County JOSEPHINE Latitude Lo	ongitude
Address PO BOX 520	Township 395 N or S Range 6W	E or W. WM.
City MEDFORD State OR Zip 97501	Section 31 NE 1/4 NW 1	/4
(2) TYPE OF WORK	Tax Lot Lot Block Su	ıbdivision
☑ New Well ☐ Deepening ☐ Alteration (repair/recondition) ☐ Abandonment	Street Address of Well (or nearest address) GREYBA	
(3) DRILL METHOD:	CAVE JUNCTION	
Ma Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger	(10) STATIC WATER LEVEL:	
Other	10 ft. below land surface.	$D_{ate} \frac{7 - 26 - 04}{1}$
(4) PROPOSED USE:	Artesian pressurelb. per square inch	Date
(4) PROPOSED USE: ☑ Domestic ☐ Community ☐ Industrial ☐ Irrigation	(11) WATER BEARING ZONES:	
☐ Thermal ☐ Injection ☐ Livestock ☐ Other	_	
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found 20	
Special Construction approval Yes No Depth of Completed Well 122t.	From To Estimated F	low Data CIVI
Explosives used Yes KNo Type Amount		low Rate SWL
HOLE SEAL	20 40	
Diameter From To Material From To Sacks or pounds		
10" 0 18 BENTONI 0 18 19 SACKS		
XXXXXXXXXX		
6" 18 122		
	(12) WELL LOG:	
How was seal placed: Method	Ground Elevation	
☑ Other DRY POUR	No.	
Backfill placed fromft. toft. Material	Material From	To SWL
Gravel placed fromft. Size of gravel	BLDR, GVL, BWN	
(6) CASING/LINER:	CLAY 0	39 10
Diameter From To Gauge Steel Plastic Welded Threaded Casing: 6" +2 39 0.25 🛛 🖂 💢	BASALT BLK MED 39	122 10
· I I I		
	DECEMEN	
	RECEIVED	
Liner: 4" -2 102 160 X		
	AUG 3 0 2004	
Drive Shoe used Inside Outside None		
Final location of shoe(s) 39	WATER RESOURCES DEPT	
(7) PERFORATIONS/SCREENS:	SALEM, OREGON	
Perforations Method		
XXScreens Type PVC Material PVC		
Slot Tele/pipe		
From To size Number Diameter size Casing Liner		
101 122 .010		
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 7-26-04 Completed 7-2	6-04
Flowing	(unbonded) Water Well Constructor Certification:	
□ Pump □ Bailer XXAir □ Artesian	I certify that the work I performed on the construction, alters	ation or abandon-
Yield gal/min Drawdown Drill stem at Time	ment of this well is in compliance with Oregon water supply we	
$7\frac{1}{3}$ 121 1 hr.	standards. Materials used and information reported above are tru	ie to the best of my
	knowledge and belief. WWC Num	ber
		ate
54 Delta del Electrica del	(bonded) Water Well Constructor Certification:	
temperature of waterDepth Artesian Flow Found		
performed on this well during the construction dates reported above. All work		
performed during this title is in compilative with Oregon water supply wen		
Salty Muddy Odor Colored Other construction standards. This report is true to the best of my knowledge and belief. COLEMAN S WELL DRILLING WWC Number 1324		
Depth of strata:	Signed Signed D	ate 8-260
	The sucotted	0 400
ORIGINAL – WATER RESOURCES DEPARTMENT FIRST	COPY - CONSTRUCTOR SECOND COPY - CU	STOMER