STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210) **JOSE 60132**

WELL I.D. LABEL# L 125894 START CARD # 103497 ORIGINAL LOG #

		Page 1 of 1
L	125894	
	1034974	

(as required by ORS 537.765 & OAR 690-205-0210)	6/26/2	2017	ORIGINAL LOG	#		
(1) LAND OWNER Owner Well I.D.						
First Name JON Last Name ROBINSON		(9) LOCATI	ON OF WELL (lega	d description))	
Company		County JOSEPHIN	NE Twp 36.00 S	N/S Range 6.	.00 W E/W WM	
Address 166 TAHOE CIRCLE City GRANTS PASS State OR Zip 97527		Sec 36 S	E 1/4 of theSE	1/4 Tax Lo	ot 2405	
(2) TYPE OF WORK New Well Deepening C	Conversion	Tax Map Number	r" or	Lot		
Alteration (complete 2a & 10) Abandonmer	nt(complete 5a)	Lat°	' or		DMS or DD	
(2a) PRE-ALTERATION	n(complete su)	Long°_	" or		DMS or DD	
Dia + From To Gauge Stl Plstc Wld Th	rd		et address of well			
	_	166 TAHOE CII	RCLE GRANTS PASS, O	R 97526		
Material From To Amt sacks/lbs Seal:						
(3) DRILL METHOD		(10) STATIC	WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable M	lud	Eviatina Wa	Il / Pre-Alteration	Date SWL(psi)	+ SWL(ft)	
Reverse Rotary Other		Completed V		017	44	
(4) PROPOSED USE	nity	P	Flowing Artesian?			
Industrial/ Commericial Livestock Dewatering	-	WATER BEARING ZONES Depth water was first found 218.00				
Thermal Injection Other		SWL Date	=		psi) + SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard	(A ++1			_		
Depth of Completed Well 300.00 ft.	(Attach copy)	6/21/2017	218 291	25	44	
BORE HOLE SEAL	sacks/					
Dia From To Material From To						
10 0 79 Bentonite Chips 0 79 Calculate:	49 S					
6 79 300 Calculated				•		
Calculated	d	(11) WELL L	OG Ground Elev	ation		
How was seal placed: Method A B C D	E E		Material	From	То	
Other DRY POURED		GREY/BROWN CLAY TIGHT 0 22				
Backfill placed from ft. to ft. Material			& DECOMP GRANITE ITE GRANITE MED HAR	RD 71		
Filter pack from ft. to ft. Material Si		GREY GRANIT		13		
Explosives used:Yes Type Amount			-			
(5a) ABANDONMENT USING UNHYDRATED BENTO	NITE					
Proposed Amount Actual Amount						
(6) CASING/LINER						
Casing Liner Dia + From To Gauge Stl Pl. 6 X 3 137 .250 (•)	stc Wid Thrd					
Shoe Inside Outside Other Location of shoe(s)						
Temp casing X Yes Dia 8 From $+ X$ 2 To	4					
(7) PERFORATIONS/SCREENS						
Perforations Method SAW CUT Screens Type Material		Date Started6	/21/2017 C	ompleted 6/21/2	2017	
	of Tele/				2017	
	lots pipe size	(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or				
Perf Liner 4 260 280 .188 4	60		f this well is in compli			
			ndards. Materials used and			
		the best of my ki	nowledge and belief.			
		License Number		Date		
(8) WELL TESTS: Minimum testing time is 1 hour		Signed				
	ng Artesian					
Yield gal/min Drawdown Drill stem/Pump depth Duration		(bonded) Water Well Constructor Certification				
25 300	1	I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work				
		g this time is in compli				
Temperature 53 °F Lab analysis Yes By	construction stan	dards. This report is true t	o the best of my k	nowledge and belief.		
Water quality concerns? Yes (describe below) TDS amount 14	License Number 1835 Date 6/23/2017					
From To Description Amou						
	 		N D GILL (E-filed) tional) <u>CLOUSER DRILL</u>	ING INC		
		Comact IIIIo (opt	HOHAI) CLOUSER DRILL	II 10 II 10.		
	DEGOLID GES =					