NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date

## **JOSE 60359** WATER WELL REPORT

## STATE OF OREGON

(Please type or print)

State	Well No. 365 6W-27 ac
State	Permit No

of well completion. , (Do not write a	bove this line)			
(1) OWNER:	(10) LOCATION OF WELL:			
Name Rogue Community College	County Josephine Driller's well n	umber	10	
Address 3345 Redwood Hy.	SW 14 NE 14 Section 27 T.365		$\overline{\omega}$	W.M.
Grants Pass, Oregon	Bearing and distance from section or subdivis			
(2) TYPE OF WORK (check):	Tax Lot No. 1000			
New Well □ Deepening ☑ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	zell.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Addit	ional	353	ft.
Rotary (i) Driven   Domestic   Industrial   Municipal	Static level 75 ft. below land	surface.	Date A D	R119 80
D Bored Irrigation Test Well Other	Artesian pressure _O_ lbs. per squa			
CASING INSTALLED: Threaded  Welded				<del></del>
Imedata	(12) WELL LOG: Diameter of well	below cas	sing	" & 6"
	Depth drilled 405 ft. Depth of comp	leted wel	1 405	ft.
" Diam. from	Formation: Describe color, texture, grain size	and struc	ture of r	naterials;
	and show thickness and nature of each stratu with at least one entry for each change of forms	tion. Rep	ort each	change in
PERFORATIONS: Perforated?   Yes No.	position of Static Water Level and indicate prin	ncipal wa	ter-bearii	ig strata.
ype of perforator used	MATERIAL	From	То	SWL
Size of perforations in. by in.	Black & White Tombstone		7.4	
perforations from ft. to ft.	Bedrock	202	405	
perforations from	Fractures Located at	230		
perforations from ft. to ft.	Fractures Located at	243		
(7) SCREENS: Well screen installed? Yes No		285		
Manufacturer's Name		353		
Type Model No.		365		
Diam Slot size Set from ft. to ft.		400		
Diam, Slot size Set from ft. to ft.	12" Drilled 76' Alrea	dy Di	درااوط	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	8" Drilled 100' 6" Deilled 405'	•		
Was a pump test made? ☐ Yes ☑ No If yes, by whom?	Exp. Comments of the second			
1: gal./min. with ft. drawdown after hrs.	1.19			
n n	APR 1 1 1980	<b> </b>		<del></del>
n n				
Bailer test 60+ gal./min. with 100 ft. drawdown after hrs.	WATER RESOURCES DEPT SALEM, OREGON			
, sian flow -0- g.p.m.	JALEM, ORECON			
perature of water 55 Depth artesian flow encountered ft.	Work started April 3 19 80 Complet	ed Apr	il 8.	1980
	Date well drilling machine moved off of well A		<del>,</del>	19 80
(9) CONSTRUCTION:		-	<u> </u>	<u> </u>
Well seal—Material used—Gement—Go. H.	Drilling Machine Operator's Certification: This well was constructed under my			
Well sealed from land surface to CXSIT, ug GROUT ft.	Materials used and information reported	above :	are true	to my
Diameter of well bore to bottom of sealin.  Diameter of well bore below sealin.	best knowledge and belief()	$\Omega$	1) 9	IP 00
Number of sacks of cement used in well sealsacks	[Signed] (Drilling Machine Operator)	Date 1/2	W	, 19
How was cement grout placed?	Drilling Machine Operator's License No.		905	
	Water Well Contractor's Certification:			
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			eport is
Was a drive shoe used? ☐ Yes 🗹 No Plugs Size: location ft.	Name Les Shanahan Water Well I		ng	
Did any strata contain unusable water?   Yes  No	(Person, firm or corporation)	(Ty	pe or prin	1 <b>t</b> )
Type of water? depth of strata	Address 868 N.E. "A" st Gran	its Pay	£م, عج	<u>.e</u> .
Method of sealing strata off	[Signed] les, Shana	Ka	ر` ہو	ノ、
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	(Water Well Contr	actor)	<b>Insert</b>	
Gravel placed from ft. to ft.	Contractor's License No. 81 Date	4-9	7 -	, 19 <b>80</b>