NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

RECEIVED

REGEIVED		, ab
OCT 1 7 1973 well No.	395	18W-38

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print) (Do not write above this line)

STATE ENGINEER Permit No. SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:		
Name City of Cauc Junction	County Joseph In C Driller's well number		
Address City Hall	NW 14NE 1/4 Section 28 T. 39CR. 8W W.M.		
Care Junction	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):			
New Well 🔼 Deepening 🗌 Reconditioning 🗍 Abandon 🖂	TL 800		
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
3) TYPE OF WELL: (4) PROPOSED USE (check):			
Potony C Driven C	Depth at which water was first found / 1 ft.		
Cable R Jetted Domestic Industrial Municipal	Static level 6 ft. below land surface. Date 1/21/0		
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded Welded W	(12) WELL LOG: Diameter of well below casing		
12 " Diam. from 0 ft. to 30 ft. Gage 14"	Diameter of wear below caping		
	Depth drilled 30 ft. Depth of completed well 30 ft.		
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,		
A	with at least one entry for each change of formation. Report each change in		
PERFORATIONS: Perforated? No.	position of Static Water Level and indicate principal water-bearing strata.		
Type of perforator used Torch	MATERIAL From To SWL		
Size of perforations /4 in. by 4 in.	Brown Clay 0 12 -		
68 perforations from 12 ft. to 29 ft.			
perforations from ft. to ft.	Conglamerate 12 30 8		
perforations from ft. to ft.			
7) SCREENS: Well screen installed? \[\text{Yes} \ \text{\text{\$\text{\$P\$}}} \ \text{No} \]			
Manufacturer's Name			
Type Model No. Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
Jani Stot Size Set Iron			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? ☐ Yes 凝'No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.			
" " " "			
Bailer test 100 f gal./min. with 2 ft. drawdown after 4 hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.	Work started // J 19 J Completed // 22 19 7		
(9) CONSTRUCTION:	Date well drilling machine moved off of well \$\begin{align*} P / 2 \cdot 19 \cdot 7 \\ \cdot 2 \cdot 19 \cdot 7 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdot 2 \cdot 2 \cdot 2 \\ \cdot 2 \cdo		
-	Drilling Machine Operator's Certification:		
Well seal—Material used	This well was constructed under my direct supervision		
Well sealed from land surface toft. Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.		
Diameter of well bore to bottom of seal in. Diameter of well bore below seal	1 Charach 12 112 1		
Number of sacks of cement used in well seal sacks	[Signed] (Drilling Machine Operator) Date		
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No		
Brand name of bentonite			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? ☑ Yes ☐ No Plugs Size: location ft.	title to the best of my knowledge and benefit.		
Did any strata contain unusable water? ☐ Yes № No	Name (Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 2060 Vine St Grants Par		
Method of sealing strata off	Oun P fife.		
The state of the s	[Signed] (Water Well Contractor)		
Was well gravel packed? Tyes No Size of gravel:	200 10/10 1		
Gravel placed fromft. toft.	Contractor's License No. 1 Date 10 19.		