NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report

The original and first copy of this report
are to be filed with the

WATER WELL REPORT

WATER OF OREGON

SALEM, OREGON 97310 within 30 days from the date of well completion.

AUG 11977 (Please type or print)

AUG 1 1977 (Please type or print)

0	State Well No. 365/Lew-800
1705K	State Permit No.
7106	TL 1100

WATER RESOURCES DEPL	
(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:
Name Wesley Wenison	County Josephine Driller's well number
Address 2440 Jugo RQ	N ε 14 S ω 14 Section 8 T. 355 R. 6 W W.M.
merlin Ordgon	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found (e) ft.
Rotary Driven Domestic Industrial Municipal	Static level § ft. below land surface. Date 5//0/77
Dug	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded □ Welded □ " Diam. from 0 ft. to 50 ft. Gage	(12) WELL LOG: Diameter of well below casing 6 Depth drilled 6 ft. Depth of completed well 6 ft. Formation: Describe color, texture, grain size and structure of materials;
PERFORATIONS: Perforated? Yes No.	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Jos sail. 04
perforations from ft. to ft.	Clay (Brown) i med gravel 4 14
perforations from ft. to ft.	declaration of grante more 14 25
perforations from ft. to ft.	decomposed grantle med hard 25 65 18
(7) SCREENS: Well screen installed? Yes No	grantes - Hara 63 68
Manufacturer's Name	
Type Model No	
Diam Slot size Set from ft. to ft.	agrapier in D. & 60/65
Diam. Slot size from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " " "	·
n n n n	
Bailer test (2) gal./min. with 30 ft. drawdown after / hrs.	
Artesian flow g.p.m.	
hperature of water Depth artesian flow encountered ft.	Work started 5/7 1977. Completed 5/10 1977
	Date well drilling machine moved off of well 5//2 1977
(9) CONSTRUCTION:	
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my direct supervision.
Well sealed from land surface to	Materials used and information reported above are true to my best knowledge, and belief.
Diameter of well bore below sealin,	
Number of sacks of cement used in well seal	[Signed] See Date 7-5 , 19.7
How was cement grout placed? anout pump of drop	Drilling Machine Operator's License No
pipe	Water Well Contractor's Certification:
- 1	This well was drilled under my jurisdiction and this report is
West duties they used O. E. C. V. Directory of the Control of the	true to the best of my knowledge and belief.
Was a drive shoe used? Nes No Plugs Size: location ft. Did any strata contain unusable water? No	Name Sees Will Mulling (Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address P.O.B. 1699 Brant Passi Organ
	J. D. +
Method of sealing strata off	[Signed] Sll Kipelli
Was well gravel packed? Tyes WNo Size of gravel:	ا است فائد م
Gravel placed from ft. to ft.	Contractor's License No. 654 Date 75 , 19.7