NOTICE TO WATER WELL CONTRACTOR THE original and first copy of the rison. The original and first copy of the rison. WHILL REPORT

STATE OF OREGON

WATER RESOURCES DEPARTMENTING E 1977 STATE OF OREGON
SALEM, OREGON 97310 AUG (Please type or print)
within 30 days from the date of well completion ATER RESOURCES (BE not write above this line)
SALEM. OREGON

State Well No. 365/5W-20CC State Permit No.

(1) OWNER: 77-2	(10) LOCATION OF WELL:
Name A/ Eliason (866 Baily)	County Josephine Driller's well number
Address 1600 Roynds Ave,	SW 48W 4 Section 20 T. 365 R. 5W W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 12.	
	(11) WATER LEVEL: Completed well.
	Depth at which water was first found 83 ft.
Cable Jetted Domestic Industrial Municipal	Static level 34 ft. below land surface. Date 670-77
Dug Bored I Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded Welded Threaded District Cage 250	(12) WELL LOG: Diameter of well below casing
" Diam. from	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used Vorch	MATERIAL From To SWL
Size of perforations 14 in. by 4 in.	The state of the s
32 perforations from 60 ft. to 67 ft.	Decomposed Granite 0 85 24
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name Model No	
Diam. Slot size Set from ft, to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS. Drawdown is amount water level is	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Tyes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" "	
<u>n, </u>	
Bailer test /3 gal./min. with 60 ft. drawdown after 2 hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 6-7- 1977 Completed 6-10- 1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well 6-10- 1977
Well seal—Material used Cemeny	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.
Diameter of well bore below seal	[Signed 1 Date 3-4-, 1977]
How was cement grout placed?	Drilling Machine Operator's License No
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location	Name Coleman's Well Drilling Company
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or frint) Address 2060 N. W. Vine Grants Pass
Type of water? depth of strata	Audiess A O O O O O O O
Method of sealing strata off	[Signed] Joseph College
Was well gravel packed? Tyes No Size of gravel:	(Water Well Contractor) Contractor's License No. 280. Date 8-4- 1927
Gravel placed from ft. to ft.	Contractor's License No. 222 Date 7 19//