NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT STATE OF ONE GON (Please type or brint)

WATER

(Please type of forint)

AU(12 not Wittenabove this line)



State Well No. 379/6W-130C

State	WEII	MO.		Z?	 	 	 	 7
State	Perm	nit N	₹o.	**********	 	 	 	 

(1) OWNER:	(19) LOCATION OF WELL:		
Name Rau Funk -60N	County Josephine Driller's well nu	ımber	
Address 433 Hidden Valley Lane		R. 6W)	W.M.
Grants Pass, Owecon	Bearing and distance from section or subdivision	,	-
(2) TYPE OF WORK (check):	TL-103	m comer	:
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		•	<del></del> .
If abandonment, describe material and procedure in Item 12.	(11) 111 111111 (1 1 1 1		<del></del>
	(11) WATER LEVEL: Completed w	• • •	
(3) TYPE OF WELL: (4) PROPOSED USE (check):		47	ft.
Rotary Driven Domestic Industrial Municipal Cable Detted D	Static level ft. below land s	surface. Date 🥕	<u> 28-</u> 7.
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar	e inch. Date	•
CASING INSTALLED:  Threaded   Welded X   53 ft. Gage 250    "Diam from 5 ft. to 53 ft. Gage 250    "Diam from 6 ft. to 6 ft. Gage 6	(12) WELL LOG: Diameter of well he Depth drilled / ft. Depth of complete formation: Describe color, texture, grain size a and show thickness and nature of each stratument with at least one entry for each change of format position of Static Water Level and indicate principles.	eted well  and structure of mand aquifer pention. Report each ch	ft. aterials; etrated, nange in
PERFORATIONS: Perforated? Yes   No.		Cipal water-bearing	Strata.
Type of perforator used /ovch	MATERIAL	From To	SWL
Size of perforations /4/ in. by 4/ in.	Brown Clay 3/4 Gravel	0 140	
30 perforations from 146 ft. to 153 ft.	Grey ROCK	140 171	
perforations from ft. to ft.		·	
perforations from ft. to ft.			<del></del>
(7) SCREENS: Well screen installed?   Wes No Manufacturer's Name			
Type	Part		
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.		<del>   -</del>	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made?   Yes No If yes, by whom?			····
Yield: gal./min. with ft. drawdown after hrs.			
" " "			
" " "			-
Bailer test 4/3 gal./min. with /6/9ft. drawdown after 2 hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.	Work started 7-27- 1978 Complete	ed 7-28-	19 78
(9) CONSTRUCTION:	Date well drilling machine moved off of well	7-28-	19 <i>78</i>
Well seal—Material used CemenT	Drilling Machine Operator's Certification: This well was constructed under my		rigion
Well sealed from land surface toft.	Materials used and information reported		
Diameter of well bore to bottom of seal in.	best knowledge and belief.		-
Diameter of well bore below seal in.	[Signed] Jornes X Little	Date 8-21,	1978
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator) Drilling Machine Operator's License No.	[[]]	
How was cement grout placed?	Diffing Wachine Operator's License No.		
5117	Water Well Contractor's Certification:	-	
	This well was drilled under my jurisdi true to the best of my knowledge and bel		port is
Was a drive shoe used?   Yes No Plugs Size: location ft.	Name Coleman's Well Drill	ling Comp	Mu.
Did any strata contain unusable water?   Yes  No	(Person, firm or corporation)	(Type or Frint	<i>b</i>
Type of water? depth of strata	Address 2075 N.W. Mine	Grants	// EDSS
Method of sealing strata off	Issued Supple M	1	٠
Was well gravel packed? [] Yes X No Size of gravel:	[Signed] (Water Well Contr	actor)	
Gravel placed fromft. toft.	Contractor's License No. 380. Date	8-21	1078
It.	- Contractor & Literate 110 Date		10