The original and first by CE III WITER WELL REPORT of this report are to APR 2 3 1970 STATE OF OREGON STATE ENGINEER, SALEM OREGON 97310 (Please type or print) within 30 days from the date E ENGINEER not write above this line) of well completion. SALEM. OREGON

State Well No.	36/6	M-7P

(1) OWNER:	(11) LOCATION OF WELL:		
Name J Gam	County Ose Driller's well number		
Address 12842 Sand Creboled Tranto Yass augun	14 14 Section 26 T. 365 R. 6 W.M.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐			
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):			
Datama Bolling Dutana D	(12) WELL LOG: Diameter of well below casing		
Cable	Depth drilled 1/5' ft. Depth of completed well 1/5' ft.		
Dug	Formation: Describe color, texture, grain size and structure of materials;		
CASING INSTALLED: Threaded □ Welded ☑	and show thickness and nature of each stratum and aquifer penetrated,		
6 "Diam. from	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.		
"Diam. fromft. toft. Gage			
" Diam. from ft. to ft. Gage	MATERIAL From To SWL		
To the state of th	C/Ay orn 0 12' -		
PERFORATIONS: Perforated? Yes No.			
e of perforator used	C/AY B/ve 12 35' -		
Size of perforations in. by in.			
perforations from ft. to ft.	C/AY Brn grave/ Med 35 62 -		
perforations fromft. toft.	Decomposed granite 62 78' -		
perforations from ft. to ft.			
perforations fromft. toft.	Clay Bive 78' 97' -		
perforations from ft. to ft.	,		
(7) SCREENS: Well screen installed? Yes No	Decomposed granite 97 115 6		
Manufacturer's Name	WATER STRATA 185-110'		
Type Model No.	- N/F/ET J/TA/H 183-180		
Diam Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WATER LEVEL: Completed well.			
sian pressure lbs. per square inch Date			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Wes I No If yes, by whom?			
Yield: 60 gal./min. with 7 ft. drawdown after / hrs.	Work started $4-9$ 1970 Completed $4-9$ 1970		
" " " " " " " " " " " " " " " " " " "	Date well drilling machine moved off of well $4-9$ 1970		
" " " " " " " " " " " " " " " " " " "	Drilling Machine Operator's Certification:		
Bailer test gal./min. with ft. drawdown after hrs.	This well, was constructed under my direct supervision. Materials used and information reported above are true to my best		
Artesian flow g.p.m. Date	knowledge and belief.		
Temperature of water	[Signed] C-L Oracophect Date 4-15, 1970		
(10) CONSTRUCTION:	(Drilling Machine Operator)		
Well seal—Material used	Drilling Machine Operator's License No. #27		
	WY-4 WY-11 C4 4 1 C4 4		
Depth of seal 30 ft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Were any loose strata cemented off? Yes No Depth	NAMER F PAGUIN Dribbing GO		
Was a drive shoe used? ♀ Yes □ No	NAME K F PAGUIM Drilling 60 (Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? Yes No	Address 1840 WILLOW HANE GrANTS PASS OFE		
Type of water? depth of strata	11111		
Method of sealing strata off	[Signed] T. Hazuw		
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)		
Gravel placed from	Contractor's License No 275 Date 4-18 1970		