of well completion.

WATER WELL REPORT

WATER RESOURCES DEPARTMENT. TO STATE OF OREGON SALEM, OREGON 97310 (Flase type or print) within 30 days from the date

JUL 28 1989 not write above this line)



40s/8w-3566

State	Well No	o	100	$\mathcal{C}\mathcal{C}$	4
State	Permit	No.	 	***************************************	

(1) OWNER: WATER RESOURCES DEPT	(10) LOCATION OF WELL:				
Name TAKILMA CLINIC SALEM, OREGON	County JOSEPHINE Driller's well number				
Address 9335 TAKILMA RD.	NW 14 NW 14 Section 35 T. 40 R. 8W W.M.				
CAVE JUNCTION, OREGO 97523	Bearing and distance from section or subdivision	n corner			
(2) TYPE OF WORK (check):	TAX LOT 200				
New Well 🖔 Deepening 🗌 Reconditioning 🗍 Abandon 🗍					
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	ell.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		L21	ft.	
ary XX Driven Domestic N Industrial Municipal	Static level 23 ft. below land s	urface. I	Date 7	723/80	
le	Artesian pressure lbs. per square	e inch. I	Date		
(5) CASING INSTALLED: Threaded	(12) WELL LOG: Diameter of well below casing 6." Depth drilled 134 ft. Depth of completed well 134 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.				
Type of perforator used	MATERIAL	From	То	SWL	
Size of perforations in. by in.	CLAY, BROWN, BOULDERS, LRO	ŧ O	35		
perforations from ft. to ft.					
perforations from ft. to ft.	CLAY, BRN, BOULDERS, LRG				
perforations from ft. to ft.	CEMENTED GRAVEL LRG	35	86		
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	CTAY DDN CDAVET CM	86	97		
(1) SCREENS: Well screen installed? Yes No Manufacturer's Name	CLAY, BRN, GRAVEL, SM	- 00	97		
Type	CLAY, BRN, BOULDERS, MED,				
Diam Slot size Set from ft. to ft.	CEMENTED GRAVEL	97	134	23'	
Diam Slot size Set from ft. to ft.					
The same of the state of the st	AQUIFER	121	124		
tler test gal./min. with ft. drawdown after hrs.				G P M	
					
Artesian flow g.p.m. Temperature of water 5() Depth artesian flow encountered ft.	Work started 7/1 19 80 complete	<u> </u>	7/3	19 80	
Temperature of water 20 Depth artesian flow encountered		7/3/	(/_)	19 80 19 80	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	17 21		19 00	
Well seal—Material used CEMENT Well sealed from land surface to 25 ft. Diameter of well bore to bottom of seal 10 in. Diameter of well bore below seal 6 in. Number of sacks of cement used in well seal 12 sacks How was cement grout placed? PUMPED	Drilling Machine Operator's Certification: This well was constructed under my Materials used and information reported best knowledge and belief. [Signed]	above a		, 19.80	
	Water Well Contractor's Certification:				
	This well was drilled under my jurisd	iction an	d this	report is	
Was a drive shoe used? ★ Yes □ No Plugs Size: location ft.	true to the best of my knowledge and bel	uef.			
Did any strata contain unusable water? Yes A No	Name PAQUIN DRILLING INC (Person, firm or corporation)	†(T3	pe or pri	nt)	
Type of water? depth of strata	1	ANTS	PASS	OREG	
Method of sealing strata off	Robert & O.				
Was well gravel packed? Yes No Size of gravel:	[Signed] Water Weil Control	ractor)	~		
	Contractor's License No6.7.5 Date	•	8.	. 19 80	
Gravel placed from ft. to ft.	Trace to the metal and the	اد ماليدانطو غيلا - عو	~- -	, 1000	