WATER WELL REPORT STATE OF OREGON

RECEIVED State Well No. 345/7/26-1311

MAY 6 1982

State Permit No.

WATER	RESC	DURGES	DEPT
	W 3 4		_
	LEW's	BRECOL	

(I) OWNER:	(10) LOCATION OF WELL:		
Name Kurt Gruen	County Klamath Driller's well number		
Address Star Rt. 1 Box 137 A	SE 4 SE 4 Section 13 T. 34S R. 7 1/2 E W.M.		
City Chiloquin State Oregon	Tax Lot # Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location: Old Klamath Agency		
	- The state of the		
New Well Deepening □ Reconditioning □ Abandon □	(11) WATED I EVEL Commission II		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 120 ft.		
Rotary Air Driven Domestic 🔀 Industrial D Municipal	Static level 16 ft. below land surface, Date 4-23-82		
Rotary Mud Dug	Artesian pressure lbs. per square inch. Date (12) WELL LOG: Diameter of well below casing none		
	G# OTG D		
(5) CASING INSTALLED: Steel	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer repetrated with at least are server.		
8"Diam. from			
"Diam. fromft. Gauge	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
CLINER INSTALLED:	and indicate principal water-bearing strata.		
\cdot	MATERIAL From To SWL		
ft. Gauge			
(6) PERFORATIONS: Perforated? ▼Yes □ No	Hard brown clay 3 19		
Type of perforator used Factory	Gravel and Black sand 19 50		
Size of perforations $1/8$ in by U_{in}	Sandy grown clay and grav. 50 118		
1440 perforations from 16 ft to 265 ft.	Gravel and Black sand 118 235		
perforations from	Corse gravel &sandy blue		
perforations from	clay 235 245		
	Corse gravel 245 265 16'		
(7) SCREENS: Well screen installed? ☐ Yes ☒ No Manufacturer's Name			
Type Model No.			
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
s a pump test made?			
30			
gal./min. with ft, drawdown after hrs.			
Aintest 200 Million 7			
Railar test	·		
Season flow			
	Work started 4-15 19 82 Completed 4-23 19 82		
(9) CONSTRUCTION: Special standards: Yes □ NoX	Date well drilling machine moved off of well 4-23 19 82		
Well seal—Material usedCement	Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief		
Diameter of well bore to bottom of seal			
Diameter of well bore below seal	[Signed] Migh Machine Operator) Date 5.4., 19.82		
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. 1064		
How was cement grout placed?pumpedfromthebottom.	2 2001202101		
U.D	Water Well Contractor's Certification:		
A STATE OF THE STA	This well was drilled under my jurisdiction and this report is true to		
Was pump installed?	the best of my knowledge and belief. Name Roger Chancellor Well Drilling		
Was a drive shoe used? Xes \(\subseteq \text{No} \) Plugs Size: location ft.	Name HARVE Office Line of corporation) WELL DIJITING		
Did any strata contain unusable water? Yes No	Address 5233 Valley View Lane, K.Falls 97601		
Type of Water? depth of strata			
method of searing strata off	[Signed] / Water Well Contractor)		
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	Contractor License No. 693 Date May 4 , 19 82		
Gravel placed from ft. to ft.			