OBSERVATION WELLAMO ECE

NOTICE TO WATER WELL CONTRACTOR

WATER WELL REPORT ENGISLENCE No. 34

Artesian pressure

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97810
within 30 days from the date of well completion.

The original and first copy water to be filed with the state of the same of the

or well completion.		level in
1) OWNER:	(11) WELL TESTS: Drawdown is amount wat lowered below static level	er level is
Name MARSHAL W POOLE & ROBERT MOISIO	Was a pump test made? Yes \(\subseteq No \) If yes, by whom?	NAP CENICI
Address SIAR Roule	Yield: 1950 gal./min. with 80 it. drawdown a	after hrs.
ChILOQUIN, OREGON	" " "	,,
(2) LOCATION OF WELL:	Ct Juneandorse	after hrs.
II I A SA ATI	Baller test gall/min. (1742)	
SE 14 SE 14 Section 28 T. 34S R. 8E W.M.	Artesian flow g.p.m. Date Temperature of water 56 Was a chemical analysis made	ie? □ Yes 🛣 No
Bearing and distance from section or subdivision corner		
Searing and distance from Section 5 Data Section 5	(12) WELL LOG: Diameter of well below casin	. A.
	Depth drilled 637 ft. Depth of completed well	637 ft.
	Formation: Describe by color, character, size of material a show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each char	nd structure, and material in each
	stratum penetrated, with at least one entry for each char	ige of formation.
	MATERIAL	FROM TO
(3) TYPE OF WORK (check):	PUMICE & CLAY	0 4
NamWell ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	VELLOW CLAY	4 32
Is andonment, describe material and procedure in Item 12.	KERAVEL	32 34
	70 11.1	34 150
(4) PROPOSED USE (check): (5) TYPE OF WELL:	GRAV SHALE	50 358
Domestic Industrial Municipal Rotary Driven Calls Formation Calls Call	GREEN SHALE	58 554
Improved the Test Well Other Cable Jetted	BROWN SHALE S	54585
Dug [BROWN LAVA BROKEN	785 635
(6) CASING INSTALLED: Threaded Welded	The second secon	35 637
"Diam. from ft. to ft. Gage	GRAY BASALT	20/
16 "Diam. from t k ft. to 40 ft. Gage 250		
" Diam. from ft. to ft. Gage		
(7) PERFORATIONS: Perforated? ☐ Yes 📉 No		
Type of perforator used		
Size of perforations in. by in.		
perforations from		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? ☐ Yes ▼No		
Manufacturer's Name		
Model No.		144
Danh. Slot size Set from ft. to ft.	1, 0111 1, 0111	12 196/
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well	12 1967
(9) CONSTRUCTION:	(13) PUMP:	
Well seal-Material used in seal Bentronite	Manufacturer's Name	
120 25 N/	Type: H.P.	
Diameter of well bore to bottom of seal in.		
Were any loose strata cemented off? Yes No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? Xes \(\subseteq \) No	This well was drilled under my jurisdiction a	nd this report is
Was well gravel packed? ☐ Yes No Size of gravel:	true to the best of my knowledge and belief.	
Gravel placed fromft.	NAME EESIOREY	
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)	
a lite of wheels	Address 383/ 170PE / FA	447
Type of water? depth of strata Method of sealing strata off	Dutille a Machine Openstants I to AND	
	Drilling Machine Operator's License No.	
(10) WATER LEVELS:	[Signed] 6 October	
Static level 52 ft. below land surface Date //Q	(Water Well Contractor)	[H
Artesian pressure lbs. per square inch Date	_ Contractor's License No Date	<i>l.Ų.</i> , 19

(USE ADDITIONAL SHEETS IF NECESSARY)